



PIPELLE®

MILEX®

ngitronics®

lumaxTS pro

ClearTone®

EURO-MED®

LEISEGANG®

heroption®
in-office cryoablation therapy



Premier Products for Women's Health Care

Clinic and Practice-Based Products

Endometrial Ablation

Urodynamics

Colposcopy

Gynecological Specialty Instruments

Endometrial Samplers

LEEP

Cervical Cryosurgery

Ophthalmic Cryosurgery

Pessaries

Obstetrical Care

Fertility and Family Planning

General Examination: Diagnostic Disposables

Delivering on the Promise to Help Clinicians Provide Better Health Care for Women

Our mission is to enable physicians to provide increasingly more efficient and effective health care for women. We leverage our expertise in identifying and developing a steady stream of exceptional products that keep Ob/Gyns and others directly involved in caring for women, at the forefront of women's health care.

An Expansive Portfolio of Trusted Brands And Services

Since our founding in 1990, CooperSurgical has researched, developed and manufactured a wide range of trusted brands that have advanced the standard of women's health care. Our products are used by physicians and health care professionals in hospitals and their practices for a wide variety of procedures from basic annual gynecological exams to complex surgical procedures.

As a full-service R&D and manufacturing company, we are committed to:

- Improved patient outcomes and satisfaction
- Clinically proven technologies that provide ease of use
- Innovative solutions that reduce procedural costs
- Educational and in-service support of our products by educated professional representatives
- The highest quality and safety standards in the industry
- Technical support of our equipment – 20+ years of experience
- Annual support of medical professional educational organizations
- Personalized service and a commitment to your satisfaction

We appreciate the opportunity to partner with you to provide optimum health care for women.

CooperSurgical



Creating Opportunities to Grow Your Practice

Traditionally, the Ob/Gyn only served as a woman's primary care physician during the reproductive years. Today, this trend is changing as clinicians expand their service offerings to include screening for and treatment of osteoporosis, diagnosis and treatment of urinary incontinence, as well as correction of abnormal uterine bleeding. By extending the relationship between clinician and patient, CooperSurgical is creating opportunities for physicians to grow their practice.

On the following pages of this catalog, you will find a wide range of high-quality in-office instruments and devices that will provide reliable, safe and effective results for improved patient outcomes.

This catalog is one of four catalogs that represent CooperSurgical's products. Additional catalogs feature: Surgical Products, Labor and Delivery Products and Critical Care Products.

CooperSurgical instruments are engineered for optimal efficiency and effectiveness, producing consistently successful results for the physician.

Clinic and Practice-Based Brands

At CooperSurgical, we develop and market innovative solutions for Ob/Gyn procedures. Within this catalog, you will find an extensive range of instruments and devices that can be used in your practice to improve patient care.

PIPELLE®

MILEX™

her)option®
in-office cryoablation therapy

LEISEGANG®

EURO-MED®

lumaX^{TS} pro

LEEP System 1000®

H/S Elliptosphere™

ClearTone®

frigitronics®

SELECT MEDICAL SYSTEMS

SPERMSELECT®

Fischer Cone Biopsy Excisor™

In addition to Ob/Gyn clinic and practice-based products, we provide an array of high-quality devices that can be used in gynecologic surgery, for labor and delivery, and critical care. Contact your CooperSurgical sales representative to learn more about our other offerings.

Surgical Brands

RUMI® II SYSTEM

The KOH Colpotomizer System™

Lone Star
RETRACTOR SYSTEM™

FILSHIE®
TUBAL LIGATION SYSTEM

CARTER-THOMASON
CloseSure System®

Advincula Arch™

Koh-Efficient™

OR/Mobius®

Kronner Manipujector®

Zeppelin®

apple-hunt®

SeeClear®

Laparoscopic Smoke Evacuation Systems

Labor and Delivery Brands

mityvac®
VACUUM ASPIRATOR DELIVERY SYSTEMS

MityOne™

OB/Mobius®

TransWarmer®

MysticII

mityhook®

GUARDIAN
VAGINAL RETRACTOR

Critical Care Brands

INCA®

NEO-fit™

TransWarmer®

Bronchitrac®

COMFIT™

**Esophageal Balloon
Catheter Set**

Irrijet®

TRAKE-fit™

WarmGel®

Table of Contents:

Endometrial Ablation	
Her Option®	6
Urodynamics	
Lumax™ System	8
Colposcopy	
LEISEGANG Optik®	10
Optik Model 2	11
Optik Model 1	14
Gynecological Specialty Instruments	
Euro-Med® Biopsy Punches	16
Euro-Med® Stainless Specula	20
Stainless Lateral Wall Retractors	24
Sounds and Dilators	25
Stainless Curettes	26
Stainless Tenacula and Hooks	27
Stainless Endocervical Specula	28
Stainless Forceps	28
Needle Holders	32
Stainless Scissors	33
Endometrial Samplers	34
Disposable Sound and Dilators	37
LEEP	
LEEP System	38
LEEP Electrodes	39
LEEP System Accessories	42
LEEP Procedure Essentials	44
Euro-Med® LEEP Instruments	46
Cervical Cryosurgery	
LEISEGANG® LM-900 System	49
Frigitronics® Cryo-Plus™	50
Cryo-Surg® Hand Held System	50
Ophthalmic Cryosurgery	
Frigitronics® CE-2000	52
Milex™ Pessaries	
Milex Pessary Fitting Kit	55
Milex Pessaries for Prolapse and Incontinence	56
Milex Pessary Sizing Chart	60
Obstetrical Care	
F9 Fetal Monitor	63
ClearTone® Fetal Dopplers	64
Fertility and Family Planning	
Intrauterine Insemination	67
Fertility Assessment	70
Diaphragms	71
General Examination: Diagnostic Disposables	
Catheters	72
Breast Aspiration Dual-Port Biopsy Needle	75
Word Catheter	75
Endocervical Curette with Vacu-Lok Syringe	75
Milex™ Cervical Spatulas	75
Disposa-Derm®	75
Dilators	76
Cervical and Endocervical Samplers	77
Index/Customer Service	78
Warranty Information	79

CE Available for sale where CE mark is required

CA Available for sale in Canada



CooperSurgical's World Headquarters Trumbull, Connecticut, USA

CooperSurgical established a new world headquarters on a three-building, 214,000 square foot campus in January of 2010. The move was designed to satisfy the need for additional manufacturing and product design space and increased staff. In addition to housing CooperSurgical's main manufacturing facility, the complex serves as our primary distribution center. The company also has specialized manufacturing capabilities in Pasadena, CA, and Stafford, TX, as well as in Berlin and Tuttlingen, Germany, and Måløv, Denmark.

"At CooperSurgical, we focus on listening to our customers and understanding the needs of their patients. This, along with our excellence in manufacturing high quality products, sets us apart in the medical device industry and ensures we continually develop innovative, safer and more effective products for women's health care."

— Paul R Emmell, President and CEO
CooperSurgical, Inc.

Endometrial Ablation

An In-office Treatment for
Abnormal Uterine Bleeding

Her Option® Cryoablation Therapy Is Ideal for In-Office Use

Offers Fewer Complications
and Less Pain



Compact Self-Contained Unit
Measures: 26" x 14" x 27"

Highly Effective, Minimally Invasive Procedure

Other methods of ablation were designed and developed as hospital procedures that required anesthesia. Her Option is different. This in-office cryoablation therapy system ablates the endometrial lining with subzero temperatures for maximum comfort, safety and efficacy. Her Option's freezing technology is a low-pain alternative to heat and RF energy treatments.

Advantages include:

- No intravenous sedation required
- Ultra-slim probe minimizes the need for cervical dilation in many patients
- Allows for customization and greater accuracy based on patient anatomy



To learn more about
Her Option scan the
QR Code with your
smart device.



The Safer Option with the Lowest Complication Rate

- Lowest complication rate and pain scores among all endometrial ablation procedures^{1,2,3}
- Uterine scarring is minimized^{3,4}
- Maximum visibility, accuracy and control minimize chance of perforations and risk to adjacent tissue⁵
- Serious inter-operative complications are rare^{3,6}
- Ability for cavity evaluation post ablation^{4,5}

VIEW RELATED COOPERSURGICAL PRODUCTS INCLUDING:

- Pipelle Endometrial Suction Curette (p. 34)
- Specula (p. 22)
- Sounds and Dilators (p. 24)
- Dilateria (p. 37)
- Tenacula (p. 27)
- Potocky Needle & Cartridge Syringe (p. 44)
- 2% Lidocaine with Epinephrine (p. 45)
- 3% Polocaine® (Mepivacaine without Epinephrine) (p. 45)

The Lowest Pain Score Among All Endometrial Ablation Devices



Exceptional Patient Outcomes... High Patient Satisfaction

Her Option® is proven to result in a substantial improvement for most patients with abnormal uterine bleeding and provides a simple, minimally invasive alternative to hysterectomy.

According to ACOG guidelines, successful global endometrial ablation results in reduced bleeding.

Reported Benefits:

- 92 percent reduction in bleeding and an 89 percent satisfaction rate⁵
- 88 percent of women experienced normalized bleeding or better⁵
- 90 percent of patients rarely or never had mood complaints at 12 months⁷
- 80 percent of patients reported mild to no PMS pain at 12 months⁷
- Statistically significant improvements were captured in quality of life measures⁸

Her Option


Number	Description
CU-1	Her Option Disposable Probe
CG-1	Her Option Console

1. Badia C, Nyirjesy P, Atogho A. Endometrial ablation devices: Review of a manufacturer and user facility device experience database. *The Journal of Minimally Invasive Gynecology* (2007) 14, 436-441
2. Roy KH, Levy S, Whiteside D, Malnar G, Neighbor R. Office-based endometrial cryoablation with Her Option for menorrhagia: patient tolerance and comparison of oral analgesic and paracervical block regimens. *J Am Assoc Gynecol Lap*, Aug 2004, VII (3) suppl.
3. Townsend DE. A safe and effective method of controlling abnormal uterine bleeding. 2nd World Congress on Controversies in Obstetrics, Gynecology & Infertility. Paris, France: Sept 6-9, 2001; 405-410
4. Taskin O, Onogul A, Inal M, Turan E, Sadik S, Vardar E, Postaci H, Wheeler JM. Long term histopathologic and morphologic changes after thermal endometrial ablation. *J Am Assoc Gynecol Laparosc*. May 2002 v. 9 (2) p. 186-190.
5. Duleba AJ. Review of major complications related to devices used to treat abnormal uterine bleeding. *AAGL*. 2004
6. Brown J, Blank K. Minimally Invasive Endometrial Ablation Device Complications and Use Outside of the Manufacturers' Instructions. *Obstetrics & Gynecology* Vol. 120, No. 4, October 2012
7. Manjon J, Whiteside DC, Herbst SJ, Roy K, Lukes AS, Heilbronn D, Bruno R. Changes in pain and mood following Her Option office cryoablation therapy for the treatment of abnormal uterine bleeding (AUB) using increased free regimens. *AAGL* 2007
8. Herbst SJ, Whiteside DC, Roy KH, Manjon JM, Lukes AS, Heilbronn D, Bruno R. An extended treatment regimen with the Her Option office cryoablation therapy for treating abnormal uterine bleeding (AUB) and its association with quality of life measures. *AAGL* 2007

Urodynamics

Lumax™ TS Pro System

Diagnose Urinary Incontinence
Accurately and Quickly



CooperSurgical's Lumax TS Pro Fiberoptic Cystometry System is the leading multichannel office urodynamic system for diagnosing female urinary incontinence. This state-of-the-art urodynamic system is uniquely tailored to meet the needs of the busy Ob/Gyn practice. Its intuitive software and touch screen interface facilitate patient studies, while using the patented fiberoptic Lumax catheters ensures accurate results.


Lumax TS PRO Package

CA★CE

Number	Description
TSELITE	Lumax TS Pro Elite System includes: TS Pro Software, Laptop Computer, USB Cable, Uroflow Transducer, Volume Transducer, Remote Handheld Event Marker, Remote Footswitch Marker, EMG Module and Supplies for two Patient Studies
TSADV	Lumax TS Pro Advanced System includes: TS Pro Software, Laptop Computer, USB Cable, Uroflow Transducer, Volume Transducer, Remote Handheld Event Marker, Remote Footswitch Marker and Supplies for two Patient Studies
TSBAS	Lumax TS Pro Basic System includes: Uroflow Transducer, Volume Transducer, Remote Handheld Event Marker, Remote Footswitch Marker and Supplies for two Patient Studies
TSAP	Upgrade from TSBAS to TSADV. TS Pro Software, Laptop Computer, USB Cable
EMG	Upgrade from TSADV to TSELITE. EMG Module, Mounting Hardware and Software



10 French and 7 French



High-tech, Built-in Transducer Simplifies Pressure Sensing

The Lumax TS Pro system performs a complete differential diagnosis of lower urinary tract dysfunction including uroflometry, cystometry, urethral pressure profile, leak point pressures, pressure flow studies and electromyography. Lumax Fiberoptic Catheters simplify and speed these procedures, providing highly accurate bladder and abdominal pressure measurements.

1. Light generated by the Lumax system travels through an optical fiber
2. Diaphragm depresses when pressure is exerted, occluding a percentage of light
3. Gold reflector returns unblocked light
4. Returning light travels through an optical fiber
5. Light received by the Lumax system is converted precisely into pressure (cm H₂O)

THE RESULT: Accurate data for appropriate treatment of your patients.

Lumax TS Pro Disposables

CA* CE

Number	Description
10307-010	10 Fr Bladder Catheter (10/Box)
10307-005	7 Fr Bladder Catheter (10/Box)
10307-009	10 Fr Abdominal Catheter (10/Box)
53397	EMG Electrodes (4 Sets/Pouch)

Number	Description
53364	EMG Lead Cable – Reusable (1/Pack)
10310-000	S-Series Transmission Cable
10206-000	Thermal Printer Paper (5 Rolls/Box)
20108-000	Cystometry Tube Sets (10 Sets/Box)

Accessories

CA* CE

Number	Description
23486	Lumax TS Pro Software with Hasp Key and Documentation
35821	Lumax TS Pro User Manual
35384	Lumax User Manual
IVBT	IV pole with complete accessories: locking wheels, basket, laptop and monitor tray with catheter hooks
IVB	IV pole with locking wheels and basket
23467	Wheelbase only for IV pole (a replacement part only)
23465	Basket with clamp to secure to IV pole
23463	Laptop tray with clamp to secure to IV pole
23462	Monitor pole clamp with mounting plate (for center mount of monitor vs. tray mount)
35799	Monitor tray with catheter hooks for IV pole
60598-000	Catheter supplies tray with IV pole mount
23466	USB cable 3'
53326	Remote footswitch marker
53298	Remote handheld marker
53309	Uroflow Transducer
53310	Volume infused Transducer
60993-000	Commode – wide with drop arms
10300-001	Deluxe bar code scanner

Number	Description
60890-000	Bar code scanner brackets (upgraded scanner)
60898-000	Bar code scanner screws (upgraded scanner)
60819-000	Funnel
60897-000	Interface low pole mount (height 32" from floor)
10536-001	Uroflow Transducer
10537-001	Volume Transducer
60996-000	IV pole power strip – deluxe model (4 outlets)
10206-000	Thermal printer paper (5 Rolls/Box)
10440-000	Printer paper for monitor 4114UF (Pro) (5 Rolls/Box)
60997-000	Velcro® tie-down strap for power cord
60450-000	Clamp to attach laptop tray to IV pole
60688-006	Beaker
60958-001	Transmission cable clip
60958-002	Catheter bag clip
60450-000	Pole mount clip
10388-4	Lumax Pro CD-ROM (replacement only)
23335	USB/serial port adapter
10372-000	S-Series Installation Kit

Colposcopy

Examination of the Cervix
Under Direct Magnification

LEISEGANG OptiK®

The Gold Standard in Colposcopy



LEISEGANG celebrates more than 60 years as a world leader in colposcope design and production, recognized for German precision, clarity and durability. LEISEGANG OptiK LED colposcopes shed an uncompromising light and bright optical brilliance on all visual assessments. Select the OptiK Model 1 for routine colposcopy or the OptiK Model 2 for digital colposcopy. Both offer the highest-intensity LED on the market matched with the best optics for enhanced clarity and contrast. The optical brilliance achieved in LEISEGANG is unparalleled.


High-Intensity LED Illumination

LEISEGANG colposcopes use one of the brightest LED light on the market. It transmits 2.5x more luminance than halogen for greater visibility of cellular and vascular changes, it outperforms other LED-lighted colposcopes in terms of stereoscopic 3-D visualization and matching daylight color temperature, and it delivers a stable color spectrum. This provides for highly improved contrast balance, better clarity and less shadowing for unsurpassed anatomy visualization. Plus, our LEDs have a working life of 20,000 hours or about 20 years of service...ensuring long-lasting dedicated service without compromise.

Precision German Optics

Specially selected, hand-polished and hand-set glass optics are used in all LEISEGANG OptiK colposcopes. The use of internal multiple mirrors is minimized to allow for maximum light exposure. Small apertures provide the greatest depth-of-field for unsurpassed clarity. Precision manufacturing ensures a parfocal magnification for dynamic range of detail. This means that once focused on a region of interest, the colposcope will stay in focus throughout the 3-step magnification. Furthermore, the optics provide for a convergent optical pathway, which mimics the human eye and reduces eye fatigue.


LEISEGANG OPTIK LED



100%

Dimmed

HALOGEN



100%

Dimmed

DAYLIGHT



OptiK® Model 2

Exceptional Optics and
Optimized Digital Imagery

The 18-megapixel Canon® 600D T3i dSLR provides digital documentation of your colposcopic images. Its unique adjusting display allows for greater flexibility in your office.



OptiK Model 2 with an
Integrated Camera

From Routine Office Examinations to Advanced Clinical Applications,
We Have a Solution to Meet Your Needs:

Infinite Performance OptiK Model 2 with a Digital SLR Camera

For conducting research, delivering presentations or meeting detailed photo documentation requirements in your patient records, the OptiK Model 2 with a Digital SLR Camera precisely tracks lesion progression or regression.

Live Viewing OptiK Model 2 with an Integrated Camera

The OptiK Model 2 with an Integrated Camera provides live image viewing and is an excellent choice for teaching. Designed for conducting research, delivering presentations or meeting detailed photo documentation requirements in your patient records.

Use with CerviPATH™ or ImageQUEST™ OptiK Model 2 with CerviPATH or ImageQUEST Patient Management Systems


The OptiK Model 2 with optional CerviPATH or ImageQUEST documentation software allows for robust data collection, analysis and reporting capabilities, and SAPA (Sexual Assault Physical Abuse) investigations.

Four Different Base Choices:

OptiK Model 2 is available in four base configurations including Upright, Tilt, Swing Stand and Balance-O-Matic. The OptiK Model 2 features a working distance of 300 mm, field of view of 19 mm to 76 mm, and depth of field of 2 mm to 8 mm.



Upright Rolling Base –
Sturdy and mobile stand



Tilt Stand –
Solid, durable and easy to maneuver



Swing Stand –
Standard swing arm for ease of use



Balance-O-Matic Stand –
Best combination of support and stability

(See OptiK Model 2 Sales Configurator Options on Page 13)

To place an order, call us at: 800.243.2974 | Visit us online at: www.CooperSurgical.com

OptiK® Model 2 Digital System Upgrades

CerviPATH™

CA★ CE

Only available on select OptiK 2 colposcopes, the CerviPATH patient management system sets the standard in patient visit documentation. Choose from either an externally mounted dSLR camera or one that is fully integrated to capture high-resolution images and live video feed. CerviPATH offers detailed patient demographic fields and the ability to annotate images with text, measurement, voice and drawing — all the tools needed for comprehensive documentation of findings and follow-up. Data and images are centrally stored and accessible for sharing via disk, email or network.

Number	Description
OPTIK2-20-000	Cervi-Path Patient Management Client/Server software upgrade only (includes 136683 HASP key, 80419 software and set-up instructions)
53512	CerviPATH Patient Management System upgrade for OptiK Model 2 Colposcope: laptop, software




Shown here:
OPTIK2-04-004 with
CerviPATH Patient
Management System

ImageQUEST™

CA★ CE

The ImageQUEST Digital Imaging System provides invaluable documentation for the evaluation of sexual assault and physical abuse cases. ImageQUEST magnifies visualization and expands documentation capabilities to ensure accurate, thorough records. ImageQUEST offers convenient, hands-free operation with its image-capture foot pedal and optional Balance-O-Matic floating base.

Number	Description
53500	ImageQuest Patient Management System / Canon Camera with upgrade for OptiK Model 2 System, Swing or BOM Colposcope: Canon 600D Rebel T3i Camera kit, 1.0" CCD Photo Swing (3MTL LED 1.0") colposcope head, laptop, software, foot pedal
53513	ImageQuest Patient Management System Upgrade for OptiK Model 2 Colposcope: laptop, software



OptiK® Model 2 Accessories

Cameras and Monitors

CA★ CE

Number	Description
53475	Canon® 600D Rebel T3i Camera Kit for OptiK Model 2 1.0" CCD only
23676FG	Foot Pedal for Canon 600D Rebel T3i Camera
37464	24" Digital High Definition LCD Monitor Display with HDMI input for use with Canon Digital Cameras

Zoom Colposcopes Accessories

CA★ CE

Number	Description
22140	10X Oculars – pair
22114	20X Oculars – pair
40G301	Colposcopy Charts (50/Pad)

LEISEGANG OptiK® Model 2 Sales Configuration Options:**LEISEGANG OptiK Model 2 and Base Only**

CA🇺🇸 CE

Number	Description
OPTIK2-03	3-Step magnification, 300 mm working distance, LED light, 24,000 Lux, 1.0" CCD optimized, upright rolling stand, T2 adapter/tubus, for use with Canon® camera kit 53436
OPTIK2-04	Same as OPTIK2-03 except with medium-weight Swing-Arm Rolling Base
OPTIK2-05	Same as OPTIK2-03 except with heavy-weight Balance-O-Matic Rolling Base

LEISEGANG OptiK Model 2, Base and dSLR Camera

CA🇺🇸 CE

Number	Description
OPTIK2-04-002	3-Step magnification, 300 mm working distance, LED light, 24,000 Lux, 1.0" CCD optimized, medium-weight Swing-Arm Rolling Base, T2 adapter/tubus, Canon 600D Rebel T3i camera kit with 18 MP camera, battery, charger, USB wire, A/C adapter, wired remote and memory card
OPTIK2-05-002	Same as OPTIK2-04-002 except with heavy-weight Balance-O-Matic Rolling Base

LEISEGANG OptiK Model 2, Base and dSLR Camera Including CerviPATH™

CA🇺🇸 CE

Number	Description
OPTIK2-04-004	3-Step magnification, 300 mm working distance, LED light, 24,000 Lux, 1.0" CCD optimized, medium-weight Swing-Arm Rolling Base, T2 adapter/tubus, Canon 600D Rebel T3i camera kit with 18 MP camera, battery, charger, USB wire, A/C adapter, foot pedal, wired remote and memory card, laptop, software, tray, printer
OPTIK2-05-004	Same as OPTIK2-04-004 except with heavy-weight Balance-O-Matic Rolling Base

LEISEGANG OptiK Model 2 , Base and dSLR Camera Including ImageQUEST™

CA🇺🇸 CE

Number	Description
OPTIK2-04-007	300 mm working distance, LED light, 24,000 Lux, 0.5" CCD optimized, medium-weight Swing-Arm Rolling Base, T2 adapter/tubus, Canon 600D Rebel T3i camera kit with 18 MP camera, battery, charger, USB wire, A/C adapter, foot pedal, wired remote and memory card, laptop, software, tray, printer
OPTIK2-05-007	Same as OPTIK2-04-007 except with heavy-weight Balance-O-Matic Rolling Base

LEISEGANG OptiK Model 2 with Integrated Camera

CA🇺🇸 CE

Number	Description
OPTIK2-10	LEISEGANG OptiK Model 2 Integrated Analog Video Tilt Colposcope (3MVL LED Y/C): 3-Step magnification, 300 mm working distance, LED light, 24,000 Lux, integrated S-Video analog camera (752 H x 582 V), Tilt Base, for use with LCD Monitor 23598
OPTIK2-11	Same as OPTIK2-10 except with Upright Rolling Base
OPTIK2-12	Same as OPTIK2-10 except with medium-weight Swing-Arm Rolling Base

LEISEGANG OptiK Model 2 with Integrated Camera Packages

CA🇺🇸 CE

Number	Description
OPTIK2-10-001	LEISEGANG OptiK Model 2 Integrated Analog Video Tilt Colposcope (3MVL LED Y/C) with LCD Monitor: 3-Step magnification, 300 mm working distance, LED light, 24,000 Lux, Integrated S-Video analog camera (752 H x 582 V), Tilt Base, LCD Monitor
OPTIK2-11-001	Same as OPTIK2-10-001 except with Upright Rolling Base
OPTIK2-12-001	Same as OPTIK2-10-001 except with Swing-Arm Rolling Base

OptiK® Model 1

Better Contrast, Clarity and Visualization



The Perfect Choice for Routine Colposcopy Exams

LEISEGANG's highly acclaimed colposcopes are renowned for unparalleled precision, uncompromising quality and lasting performance. Specially selected, hand-polished and hand-set German optics, parfocal 3-step magnification, and convergent optical beams contribute to LEISEGANG's remarkable depth and clarity. These light-emitting diode (LED) colposcopes offer the highest-intensity LED light on the market, coupled with improved balance contrast and increased stereoscopic 3-D clarity. The OptiK Model 1 is available in four base configurations.



Four Different Base Choices:



Upright Rolling Base –
Sturdy and mobile stand



Tilt Stand –
Solid, durable and easy to maneuver



Swing Stand –
Standard swing arm for ease of use



Balance-O-Matic Stand –
Best combination of support and stability

LEISEGANG OptiK® Model 1

CA ☐ CE

Number	Description
OPTIK1-00	Leisegang OptiK Model 1 Tilt Colposcope (1DL LED): 3-Step magnification, 300 mm working distance, LED light, 24,000 Lux, Tilt Base

Number	Description
OPTIK1-01	Same as OPTIK1-00 except with Upright Rolling Base

Number	Description
OPTIK1-02	Same as OPTIK1-00 except with medium-weight Swing-Arm Rolling Base

Number	Description
OPTIK1-03	Same as OPTIK1-00 except with heavy-weight Balance- O-Matic Rolling Base

Gynecological Specialty Instruments

German Engineered Euro-Med® Instruments

Handcrafted to exacting standards by the world's preeminent steel artisans, Euro-Med stainless steel surgical instruments represent a higher level of engineering, control and precision. Essential for the success of women's health procedures, these instruments are ideal for doctors and practices who use only the best to ensure exceptional results.

Classic Series
Tischler-Morgan™
Biopsy Punch

Euro-Med® Biopsy Punches	16
Euro-Med® Stainless Specula.....	20
Stainless Lateral Wall Retractors.....	24
Sounds and Dilators	25
Stainless Curettes	26
Stainless Tenacula and Hooks	27
Stainless Endocervical Specula	28
Stainless Forceps	28
Needle Holders.....	32
Stainless Scissors.....	33

5 Year Complimentary
Sharpening On Our
Classic Series™
Biopsy Punches.

Euro-Med® Biopsy Punches

Beautifully Balanced for Superior Handling,
Response and Comfort

Tischler-Morgan™ Biopsy Punch

CA★ CE

Also Available
in 25 cm Length

Our most popular design includes ergonomic contours for maximum control and comfort. The standard bite incorporates a single tooth on the upper and lower jaws that draws tissue in for maximum sample retention with minimal trauma.

Number	Length	Bite	
64-689	21 cm	7 mm x 3 mm	<input type="checkbox"/>
64-689L	25 cm	7 mm x 3 mm	<input type="checkbox"/>

Tischler-Kevorkian™ Biopsy Punch

CA★ CE




This classic large rectangular bite includes upper and lower teeth for added traction and maximum sampling.

Number	Length	Bite	
64-679	20 cm	9.5 mm x 3 mm	<input type="checkbox"/>

Mini-Townsend™ Biopsy Punch

CA★ CE



The petite bite minimizes trauma and is perfect for obtaining samples of lesions just inside the lip of the endocervical canal.

Number	Length	Bite	
64-690	20 cm	4.2 mm x 2.3 mm	<input type="checkbox"/>

Baby Tischler Biopsy Punch

CA★ CE

Also Available
in 25 cm Length

Our popular Euro-Med handle grants optimal comfort, while the small bite incorporates a tooth permitting sampling at the endocervical canal. This variation of the Mini-Townsend provides samples with minimal patient discomfort and bleeding.

Number	Length	Bite	
64-691	20 cm	4.2 mm x 2.3 mm	<input type="checkbox"/>
64-691L	25 cm	4.2 mm x 2.3 mm	<input type="checkbox"/>

Kevorkian-Pacific™ Biopsy Punch

CA★ CE



A slightly smaller bite and additional anchoring teeth on the bottom jaw ensure ample, well-oriented samples with minimal trauma.

Number	Length	Bite	
64-675	21 cm	8 mm x 3 mm	<input type="checkbox"/>

Coppleson Biopsy Punch

CA★ CE




The unique jaw shape yields a distinct sample orientation for histologic analysis.

Number	Length	Bite	
64-660	21 cm	7.5 mm x 3 mm	<input type="checkbox"/>

Burke™ Biopsy Punch

CA★ CE




Burke Biopsy
Punch Handle

The design features an open handle for even the largest of hands and an oval-shaped bite for small samples. Sharp tooth design helps to anchor the tissue for sampling and retention.

Number	Length	Bite	
64-677	21 cm	5.5 mm x 3.25 mm	<input type="checkbox"/>

Baggish Biopsy Punch

CA★ CE



Baggish Biopsy
Punch Handle

Another variation of the open-handle design, this punch provides a larger, oval-shaped bite. The jaws have two bottom teeth and a serrated bed to provide optimal retention of tissue samples.

Number	Length	Bite	
64-695	21 cm	6.5 mm x 3.5 mm	<input type="checkbox"/>

Euro-Med® Colposcopy Biopsy Instrument Sets

Our Euro-Med Colposcopy Sets feature the instruments most necessary for successful procedures. Each set comes with the four basic colposcopy hand instruments. Reap the rewards of our ready-made sets consisting of our most popular product combinations, or customize a kit to best serve your needs. Each set consists of a biopsy punch, an endocervical speculum, a curette and a hook.

Colposcopy Biopsy Instrument Sets

CA* CE

Number	Description
KIT-A	Kit A Contents: Tischler-Morgan™ Punch, Euro-Med Endocervical Speculum, Emmett Tenaculum, Kevorkian Collector™ Curette
KIT-B	Kit B Contents: Burke™ Biopsy Punch, Burke Endocervical Speculum, Iris Hook, Kevorkian Curette with Basket
KIT-C	Kit C Contents: Mini-Townsend™ Punch, Burke Endocervical Speculum, Iris Hook, Townsend™ Curette
KIT-F	Mix & Match: choose one of each – Biopsy Punch, Endocervical Speculum, Curette and Hook



Euro-Med Keyes Vulvar Punch Set and Singles


CA* CE

This essential set includes six stainless steel interchangeable tips ranging from 3 mm to 7 mm in diameter, and a universal handle, all set in a brass tray fitted in a wooden box for simple storage. The individual tips can be placed on the threaded handle as required. The brass insert facilitates set sterilization. Also available: individual "singles" permanently attached to their own handle.

Number	Length
68-180	Set includes: five tips, storage tray and wooden box
68-173	3 mm – Singles
68-174	4 mm – Singles
68-175	5 mm – Singles
68-176	6 mm – Singles
68-178	8 mm – Singles

Euro-Med® Rotating Biopsy Punch Handles

A 360-Degree Rotating Shaft Allows
Sample Collection from Any Angle



Euro-Med Rotating Handle

Townsend Rotating Handle

Rotating Biopsy Punch Handles CA* CE

Select either the popular Euro-Med rotating handle featuring the classic closed-finger design, or the open-finger variation of the Townsend rotating handle, preferred by those with larger hands. Both are handcrafted from German stainless steel and accept all eight punch styles for total flexibility. Choose from a variety of tips to ensure that the correct instrument is always on hand.

Number	Description
64-649	Euro-Med Rotating Handle
64-485H	Townsend Rotating Handle

These rotating punch tips fit either the Euro-Med® closed rotating handle or the Townsend open rotating handle. With eight tips to select from, complete customization is possible.

Tischler-Morgan Tip CA* CE



Number	Length	Bite
64-484	23 cm	7 mm x 3 mm

Tischler Tip Up CA* CE



Number	Length	Bite
64-751	23 cm	7 mm x 3 mm

Tischler Tip Down CA* CE



Number	Length	Bite
64-756	23 cm	7 mm x 3 mm

Mini Tip Up CA* CE



Number	Length	Bite
64-651	23 cm	4.2 mm x 2.3 mm

Mini Tip Down CA* CE



Number	Length	Bite
64-656	23 cm	4.2 mm x 2.3 mm

Mini-Townsend™ CA* CE



Number	Length	Bite
64-460	23 cm	4.2 mm x 2.3 mm

Oval Tip CA* CE



Number	Length	Bite
64-489	23 cm	5 mm x 3 mm

Kevorkian Tip CA* CE



Number	Length	Bite
64-488	23 cm	8 mm x 3 mm

Euro-Med® Standard Biopsy Punches

These Supplemental Punch Designs Provide Consistent Performance and Enable Collection of High-Quality Samples



Handle for Eppendorfer,
Wittner and Kevorkian Tips



Handle for Schubert Tip

Eppendorfer Tip

CA* CE

One of the classic original biopsy designs, this oval cutting jaw obtains an 8 mm x 4 mm cervical specimen. A special basket in the jaw helps retain the biopsy sample.

Number	Length	Bite
64-687	19 cm	8 mm x 4 mm



Wittner Tip

CA* CE

The unique angle of the jaw enables extra access to hard-to-reach areas of the cervix. The large teeth and strong bite provide a maximum area of tissue sample.

Number	Length	Bite
64-681	21.5 cm	8 mm x 4 mm



Kevorkian Tip

CA* CE

Offering the popular Kevorkian bite, a strong and narrow jaw and an added 7.5 cm shaft length, this punch facilitates simple insertion and sampling of the cervical canal, especially in patients for whom the extra length is necessary.

Number	Length	Bite
64-685	26.5 cm	8 mm x 3 mm



Schubert Tip

CA* CE

One of the more popular biopsy punches used in Europe, the Schubert features a large bite and an angled handle to apply maximum pressure.

Number	Length	Bite
64-670	21.5 cm	8 mm x 4.5 mm



Engineered to Exacting Standards

Stainless Steel Specula for Exceptional Visibility and Access

Fundamental? Yes. Basic? Far from it. Euro-Med® provides the essentials for any practice, like our complete array of premium-grade stainless steel specula. Each instrument is designed to ensure your patient's comfort and meet your practice's needs. Ask us about our specially coated stainless steel specula and other instruments used during LEEP procedures (see pages 46-48).



Specula Blades and Yoke Dimensions

Use our convenient speculum sizing guide to help you easily select the proper tools for your practice. Specula are available in a variety of sizes to accommodate all your patients' needs.

In addition, we are now offering a range of extra-large to 4X size specula to facilitate examinations and procedures for larger or obese patients.

See pages 22-23 for a full product selection and model numbers.

Vu-Max™ Yoke – Graves Blades

Medium – W: 33 mm L: 113 mm

Large – W: 35 mm L: 125 mm

Vu-Max Yoke – Pederson Blades

Medium – W: 22 mm L: 114 mm

Large – W: 26 mm L: 121 mm

Vu-More™ Yoke – Graves Blades

Mini – W: 30 mm L: 89 mm

Medium – W: 33 mm L: 113 mm

Large – W: 35 mm L: 125 mm

Standard Yoke – Pederson Blades

Virgin – W: 13 mm L: 76 mm

Small – W: 13 mm L: 81 mm

Extra Narrow – W: 17 mm L: 108 mm

Medium – W: 22 mm L: 114 mm

Large – W: 26 mm L: 121 mm

Also Available with
Side Opening Yoke

Standard Yoke – Graves Blades

Small – W: 20 mm L: 87 mm

Medium – W: 33 mm L: 113 mm

Large – W: 35 mm L: 125 mm

Also Available with
Side Opening Yoke

Vu-More Yoke – Graves or Pederson Blade

Snowman™ – W: 35 mm L: 150 mm

Snowman – W: 25 mm L: 150 mm

Vu-Max and Vu-More Yokes – Graves Blades

X Large – W: 35 mm L: 150 mm

2X Large – W: 35 mm L: 160 mm

3X Large – W: 35 mm L: 170 mm

4X Large – W: 35 mm L: 180 mm

Euro-Med® Stainless Steel Specula

A Higher Level of Control and Patient Comfort



Graves Speculum

Vu-More Speculum

Pederson Speculum

Graves

CA★ CE

The popular Euro-Med Graves vaginal speculum features a slightly wider traditional blade design. Available with standard yoke and an open-sided configuration. The Graves blade is also available in longer lengths with a Vu-More or Vu-Max™ yoke.

Number	Description	Size mm
64-100	Small	W20 L87
64-102	Medium	W33 L113
64-104	Large	W35 L127
64-108	Open-sided	W35 L117

Pederson

CA★ CE

One of the most widely used speculum designs, this model, with its slightly thinner traditional blade, is particularly useful with young or nulliparous women. The Pederson blade is also available with a Vu-Max yoke.

Number	Description	Size mm
391-671	Virgin	W13 L76
64-110	Small	W13 L81
391-674	Extra-narrow	W17 L108
64-112	Medium	W22 L114
64-114	Large	W25 L130

Vu-More™

CA★ CE

The Vu-More provides a 25 percent larger viewing area at the yoke than a comparable Graves to afford easier instrumentation access and improved visibility. The Mini's short blade facilitates examinations for women with cervical prolapse.

Number	Description	Size mm
64-130	Mini	W34 L93
63-902	Medium	W33 L113
63-900	Large	W35 L127
63-905	X Large	W35 L150
63-906	2X Large	W35 L160
63-907	3X Large	W35 L170
63-908	4X Large	W35 L180

New
Longer Length

(W=Distal End) (L=Penetration Length)

To place an order, call us at: 800.243.2974 | Visit us online at: www.CooperSurgical.com

**Vu-Max™**

CA* CE

The Vu-Max vaginal speculum's unique design substantially reduces the chance of obstructing the physician's view or instrument access. Offered in both Pederson and Graves configurations.

Number	Description	Size mm
64-113	Pederson Medium	W22 L114
64-115	Pederson Large	W25 L120
64-218	Graves Medium	W33 L113
64-219	Graves Large	W35 L127
64-225	X Large	W35 L150
64-226	2X Large	W35 L160
64-227	3X Large	W35 L170
64-228	4X Large	W35 L180

New Longer Length

**Snowman™**

CA* CE

Snowman specula are built using a 40 mm yoke opening for optimized strength and visualization. Designed to naturally fit the obese patient, their longer blades safely expose and access the cervix.

Number	Description	Size mm
64-107	Graves Blade	W35 L152
64-117	Pederson Blade	W25 L152
64-127	One each/Graves & Pederson	

**ExpandaView™ Integrated Speculum and Lateral Retractor**

CA* CE

ExpandaView is designed to enhance clinician visualization. Combines a traditional speculum with a lateral wall retractor to enhance the view of the cervix by retracting redundant vaginal tissue. Especially effective for large or multiparous patients.

Number	Description	Size mm
64-161	Medium	W22 L109
64-162	Large	W22 L133
64-163	Stainless Steel Instrument Holder	

**Weisman Graves Side Opening**

CA* CE

Weisman Graves specula feature an open side for improved instrument access and easy removal once instruments are placed. Available in two sizes with left or right openings.

Number	Description	Size mm
391-667A	Left side open, Med	W33 L113
391-667	Left side open, Lg	W35 L125
391-668A	Right side open, Med	W33 L113
391-668	Right side open, Lg	W35 L125

**Pederson Side Opening**

CA* CE

The Pederson open-sided specula features the traditional thinner blade design while providing the advantages of either a left or right side opening for efficient instrument access and removal.

Number	Description	Size mm
64-112L	Left side open, Med	W22 L114
64-114L	Left side open, Lg	W26 L121
64-112R	Right side open, Med	W22 L114
64-114R	Right side open, Lg	W26 L121

**Auvard**

CA* CE

This popular 2.5-pound weighted speculum is the standard for posterior vaginal wall retraction in vaginal procedures.

Number	Description	Size mm
64-422	Med (Wide/Short Blade)	W43 L68
64-421	Lg (Narrow/Long Blade)	W35 L88

Stainless Lateral Wall Retractors



**Cer-View™
Lateral Wall Retractor**

CA* CE

Contoured and shaped to fit into the yoke of a standard speculum, the Cer-View retractor expands beyond the width of the speculum blades and retracts the side walls of the vaginal vault to achieve an unobstructed view of the cervical anatomy. Cer-View is especially useful in the presence of vaginal prolapse.

Number	Description	Size mm
64-310	Medium	W22 L150
64-320	Large	W22 L160



**Tru-View™
Lateral Wall Retractor**

CA* CE

Designed specifically for use with obese patients, the Tru-View has longer tapered blades that fit a long vaginal canal without pinching in the yoke area. The unique arm configuration provides added strength and support under prolapse conditions. Tru-View is a natural fit when combined with the Snowman™ speculum.

Number	Description	Size mm
64-307	Extra Large	W32 L190



**Jackson
Vaginal Retractor**

CA* CE

This traditional retractor can be inserted and pulled downward to provide maximum posterior viewing. Like all Euro-Med specula and retractors, the Jackson features a polished stainless steel blade for maximum patient comfort.

Number	Description	Size mm
64-322	Medium	W40 L98
64-324	Large	W40 L115

Sounds and Dilators

Sims Uterine Sound

CA* CE




Sims Uterine Sounds are fully graduated for accurate fundal depth determination and feature a bulbous tip to reduce the risk of perforation. Part number 64-600 is made of silver-plated copper, which makes it ideal for situations where a more malleable sound is useful. Part number 64-601 is not as malleable but will resist corrosion due to its stainless steel properties. Both can adapt to virtually any anatomical variation.

Number	Description	Size
64-601	Sims Uterine Sound – Stainless Steel	L12.5"/317
64-600	Sims Uterine Sound – Silver-Plated Copper*	L12.5"/317

*Silver-plated copper may tarnish.

Dil-Os™ Uterine Sound/Dilator

CA* CE



These versatile tools safely facilitate rapid location of the cervical Os, allow conservative endocervical dilation, help the gradual opening of the internal Os, give accurate determination of uterine depths and provide the tactile determination of intrauterine adhesions and septa.

Number	Description	Size
64-336	Slight Curve	L12.7"/322
64-337	Strong Curve	L12.5"/317
64-338	Set (64-336, 64-337)	

Sounds and Dilators



Mini Cervical Dilator Set CA* CE

Ideally suited for nulliparous patients or those with a stenotic Os. Includes a universal handle that holds dilator tips from sizes 1 to 3 mm in half-millimeter increments. Rounded dilator tips help prevent uterine wall puncture.

Number	Description
64-374	5 Dilators, Handle and Storage Pouch



Small Cervical Dilator Set CA* CE

This small cervical dilator set is designed for patients with a stenotic cervical Os. Set of six dilators including sizes 1 through 6 mm. Comes in a fitted and numbered storage pouch.

Number	Description
64-372	6 Dilators and Storage Pouch



Hank Cervical Dilators CA* CE

Hank cervical dilators come in a set of six or individually, ranging from 9 French (3 mm) to 20 French (6.66 mm). The set comes in a custom-fitted and numbered pouch for easy storage and selection.

Number	Size mm
64-370	6 Dilators and Storage Pouch
61201	9/10 Fr
61202	11/12 Fr
61203	13/14 Fr
61204	15/16 Fr
61205	17/18 Fr
61206	19/20 Fr

Hegar Dilator Set CA* CE



Stainless steel Hegar dilators provide the option of double-ended dilators in even millimeter increments from 3 to 18 for a greater diameter range over the entire set. Each double-ended dilator is custom-labeled accordingly. Sold in a set of eight or individually for added convenience.

Number	Size mm
61207	3/4 - 17/18 (8/Set)
61208	3/4
61209	5/6
61210	7/8
61211	9/10
61212	11/12
61213	13/14
61214	15/16
61215	17/18

Pratt Dilator Set CA* CE



Stainless steel Pratt dilators offer the largest diameters in our line of cervical dilators, ranging from 13 French (4.3 mm) to 59 French (19.6 mm). Each is double-ended and custom-labeled accordingly in French scale measurements. Sold in a set of eight or individually for added convenience.

Number	Size
391-830	13/15 Fr – 41/43 Fr (8/Set)
391-833	13/15 Fr
391-834	17/19 Fr
391-835	21/23 Fr
391-836	25/27 Fr
391-837	29/31 Fr
391-838	33/35 Fr
391-839	37/39 Fr
391-840	41/43 Fr
391-841	45/47 Fr
391-842	49/51 Fr
391-843	53/55 Fr
391-844	57/59 Fr

To place an order, call us at: 800.243.2974
Visit us online at: www.CooperSurgical.com

Endocervical Currettes

Kevorkian with Basket CA★ CE



A narrow tip permits sampling without dilation, while the stainless steel blade resists clogging and dulling. With basket for sample retention.

Number	Length
66-442	12"/305 mm

Kevorkian without Basket CA★ CE



Like the Kevorkian with basket, this curette's design is traditionally weighted for optimal balance and control.

Number	Length
66-440	12"/305 mm

Townsend™ CA★ CE



The rounded and tapered tip facilitates entry through a stenotic Os. The design of the cutting edge yields improved endocervical sampling.

Number	Length
66-445	12.3"/312 mm

Kevorkian Collector™ CA★ CE



Another Euro-Med exclusive with a unique basket that offers greater assurance of sample retention. Rounded tip facilitates cervical entry.

Number	Length
66-441	12"/305 mm

London™ CA★ CE



The flanged basket facilitates sample collection and ensures optimal sample retention while exiting. The design also incorporates a rounded, tapered tip to permit nontraumatic entry into a stenotic Os.

Number	Length
64-490	11.5"/292 mm

Endocrette™ CA★ CE



Our revolutionary design allows optimal sample collection with a simple twirl motion – no pushing or pulling. Closed blade on both ends eliminates the chance of sample loss and reduces patient discomfort.

Number	Length
66-447	12.3"/312 mm

Endometrial Currettes

Novak CA★ CE



Our most popular reusable endometrial sampler. Features a suction attachment for improved sampling.

Number	Size	Length
64-624	1 mm	9.6"/244 mm
64-626	2 mm	9.6"/244 mm
64-628	3 mm	9.6"/244 mm
64-630	4 mm	9.6"/244 mm

Randall CA★ CE



The less aggressive Randall endometrial sampler also has a suction attachment for improved sample collection.

Number	Size	Length
64-620	3.9 mm	10"/254 mm

Sims CA★ CE



The premier choice for uterine curettage. Sharp and malleable, they come in many different sizes and are an industry standard 11 inches long.

Number	Size	Length
392-110	0 (5 mm)	11"/280 mm
392-111	1 (7 mm)	11"/280 mm
392-112	2 (9 mm)	11"/280 mm
392-113	3 (11 mm)	11"/280 mm
392-114	4 (13 mm)	11"/280 mm

Cervical Tenacula

Braun Tenaculum Forceps

CA★ CE



This tenaculum is an industry standard offering maximum cervical stability via its two opposing hooks. The long length provides excellent cervical access.

Number	Length
64-420	9.9"/252 mm

Schroeder Tenaculum

CA★ CE



The Schroeder tenaculum is essentially the same as the Braun except that it has more rounded pincers.

Number	Length
64-410	9.9"/252 mm

Duplay Tenaculum Double Curved

CA★ CE



This tenaculum has pincers like the Braun tenaculum but provides additional length and a double curve for more challenging situations.

Number	Length
61352	11"/281 mm

Goldstein Grasp™ Cervical Stabilizer

CA★ CE



The Goldstein Grasp provides rapid atraumatic stabilization of the cervical Os during placement of catheters, endometrial samplers and other intrauterine devices, with minimal tissue trauma.

Number	Length
64-6026	9.4"/239 mm

Hooks

Angle Hooks

CA★ CE



These convenient hooks offer a unique angle to allow better access to and visualization of the cervix during use. Available configurations: straight, left and right.

Number	Description	Length
36-630	Straight Hook	9.8"/248 mm
36-631	Left Hook	9.6"/244 mm
36-632	Right Hook	9.6"/244 mm

Iris Hook

CA★ CE



This petite and delicate hook readily stabilizes the cervix during procedures and allows greater access.

Number	Length
36-625	10.4"/263 mm

Marlow Corkscrew Hook

CA★ CE



Excellent for stabilizing the cervix during invasive procedures. This unique hook can be screwed into the cervical tissue that needs to be removed so the sample will not be lost.

Number	Length
67-451	9.3"/236 mm

Double IUD Hook

CA★ CE



Dual grasping hooks for better IUD retrieval. With a working length of nearly 27 cm and an angled design, the Double IUD Hook has a rounded tip for easy cervical insertion.

Number	Length
392-151	10.6"/269 mm

Emmett Tenaculum Hook

CA★ CE



Larger hook affords added stability and control of the cervix during procedures.

Number	Length
66-450	9.8"/249 mm

IUD Hook

CA★ CE



For easy and effective retrieval and removal of an IUD. Made of malleable stainless steel.

Number	Length
392-148	10.3"/261 mm

Stainless Endocervical Specula



Ratchet Handle Speculum CA★ C€

By far our most popular handle design. The easy single-handed operation with quick-release lock delivers the versatility and performance needed for the most delicate of procedures.

Number	Tip Size	Length
66-437	Small 3 mm	10.6"/270 mm
66-435	Medium 4 mm	10.6"/270 mm
66-436	Large 5 mm	10.6"/270 mm

Screw / Knob Handle Speculum CA★ C€

The screw/knob handle speculum easily adjusts and maintains position using the threaded thumb screw.

Number	Tip Size	Length
66-431	Small 3 mm	10.6"/270 mm
66-430	Medium 4 mm	10.6"/270 mm
66-432	Large 5 mm	10.6"/270 mm

No-Lock Handle CA★ C€

This innovative speculum offers precise single-handed action. For those who prefer total control, the No-Lock Handle allows immediate adjustment as necessary.

Number	Tip Size	Length
66-433	Small 3 mm	10.6"/270 mm
67-435	Medium 4 mm	10.6"/270 mm
66-434	Large 5 mm	10.6"/270 mm

Each Endocervical Speculum Can be Ordered with a Small, Medium or Large Tip



Small Size "Thin Line" Tip

3 mm



Particularly useful in nulliparous or small women, postmenopausal patients, or those with a stenotic Os.



Medium Size Euro-Med Tip

4 mm



A good selection for all-around use, can be used on either a multiparous or nulliparous patients.



Large Size Euro-Med Tip

5 mm



Recommended for use on multiparous women.

Sponge Forceps

Foerster Sponge Forceps

CA★ C€

Foerster sponge forceps are essential for gynecologic surgery. Featuring oval tips with serrations, the Foerster is used to hold sponges during the procedure. The ratchet handle helps to hold the sponges firmly.

Number	Length
16-182	9.7"/246 mm



Hemostatic Forceps

Halsted Mosquito (Straight or Curved)

CA☙ CE



With their fully serrated jaw and 5-inch working length, the narrow-pointed Halsted Mosquito forceps are typically used to clamp off smaller vessels that control the flow of blood. Incorporate ratchet closure for added control.

Number	Description	Length
61902	Straight	5"
61903	Curved	5"

Adson

CA☙ CE



Longer than the Halsted Mosquito, the 7¼-inch Adson's narrow-pointed jaw is typically used to clamp off smaller vessels. Ratchet handle provides added control.

Number	Description	Length
61931	Straight	7¼"

Kelly (Straight or Curved)

CA☙ CE



Slightly longer than the Halsted Mosquito, the Kelly forceps have a longer jaw to clamp off vessels that control blood flow. The jaw is half-serrated and can also be used for blunt dissection. Incorporate ratchet closure for added control.

Number	Description	Length
61908	Straight	5½"
61909	Curved	5½"

Rochester-Pean (Straight or Curved)

CA☙ CE



Sometimes referred to as the "Big Hemostat," the Rochester-Pean (available in sizes up to 10¼ inches) has both straight and curved styles, with fully serrated jaws. Typically used to occlude or clamp off larger vessels to control bleeding. The built-in ratchet mechanism holds firm so you don't have to.

Straight

Number	Length
61939	5½"
61940	6½"
61941	7¼"
61942	8"
61943	9"
61944	10¼"

Curved

Number	Length
61945	5½"
61946	6½"
61947	7¼"
61948	8"
61949	9"
61950	10¼"

Dressing and Tissue Forceps

Allis

CA* CE

Available in three lengths, the Allis forceps feature an interlocking 4 x 5 or 5 x 6 tooth pattern on their distal tip for secure tissue retraction. The built-in ratchet mechanism will hold firm.

Number	Description	Length
61981	4 x 5 Teeth	6"
61983	5 x 6 Teeth	7¼"
61882	5 x 6 Teeth	10"



Potts-Smith Tissue

CA* CE



The Potts-Smith Tissue forceps are the tissue-grasping sibling to the Potts-Smith Dressing forceps. The distal end features a 1 x 2 tooth pattern for excellent tissue manipulation.

Number	Description	Length
61871	1 x 2 Teeth	7¼"
61872	1 x 2 Teeth	8¼"

Dressing Serrated

CA* CE



Dressing forceps are the instrument of choice to help manipulate and pack dressings and sponges. These versatile forceps can also be used to handle and manipulate tissue.

Number	Length
61804	5½"
61805	6"

Potts-Smith Dressing

CA* CE



Longer and more delicate than the standard Dressing forceps, the Potts-Smith are used to pick up and manipulate dressings and sponges.

Number	Length
10-202	8¼"

Tissue 1 x 2

CA* CE



Standard tissue forceps with a 1 x 2 tooth pattern to hold and manipulate tissue during suturing.

Number	Description	Length
61841	1 x 2 Teeth	5½"
61843	1 x 2 Teeth	7"
61844	1 x 2 Teeth	8"

Adson Dressing Serrated

CA ☙ CE



The serrated tips help to hold and manipulate tissue during surgery.

Number	Description	Length
61830	Serrated Tips	4¾"

Adson Tissue 1 x 2

CA ☙ CE



To more aggressively hold and manipulate tissue during surgery.

Number	Description	Length
61863	1 x 2 Teeth	4¾"

Adson Tissue 1 x 2 Serrated

CA ☙ CE



The serrated tips help to hold and manipulate tissue during surgery.

Number	Description	Length
61864	1 x 2 Serrated Tips	4¾"

Adson-Brown Grasping

CA ☙ CE



Features two rows of 7 x 7 interlocking teeth for less traumatic manipulation of tissue during surgery.


Number	Description	Length
61866	7 x 7 Teeth	4¾"

Balance and control are hallmark qualities of all Euro-Med instruments – whether it's a simple specula, a precision-built biopsy punch or a more delicate tool such as a dressing or tissue forceps. Trust Euro-Med instruments to help your procedures go smoothly and successfully.

Uterine Forceps

Bozeman Uterine Forceps

CA ☙ CE



Double-curved for optimal uterine insertion, the Bozeman Uterine Forceps are a universal tool for various situations such as holding gauze and sponges, manipulating tissue as well as doubling up as a longer hemostat.

Number	Length
392-660	10.2"/258 mm

Kelly Uterine Forceps

CA ☙ CE



Used to remove fibroids from the uterus.

Number	Length
417-131	12.5"/318 mm

Foerster Uterine Polyp Forceps

CA ☙ CE



With a smaller distal tip than the Kelly Uterine Forceps and a Euro-Med locking ratchet mechanism, these forceps are used to remove polyps from the uterus.

Number	Description	Length
415-140	Straight	10"/254 mm
415-141	Curved	10"/254 mm

Needle Holders



Mayo-Hegar (Wider Jaw)

CA ☙ CE

This essential Gyn instrument comes in various lengths from 5 to 8 inches. The serrated jaws hold suture needles true and tight for efficient tissue repair.

Number	Length
62809	5½"
62810	6¼"
62815	7⅜"
62820	8"

Heaney (Curved)

CA ☙ CE

Known for its curved distal tip and 8¼-inch length, the Heaney needle holder features tungsten carbide inserts for outstanding holding power.

Number	Length
62825	8¼"

Crile-Wood (Narrow Jaw)

CA ☙ CE

With a thinner distal tip than the Mayo-Hegar, the Crile-Wood is ideal for more delicate suturing applications.

Number	Length
62840	7¼"

Hand-Finished Stainless Steel Scissors

Operating Scissors (Straight)

CA★ CE

The workhorse of surgical scissors. Available in three tip configurations: sharp/sharp, sharp/blunt and blunt/blunt. Ideal for routine tissue cutting and dissection.

Number	Description	Length
62002	B/B	5½"
62008	S/B	5½"
62014	S/S	5½"
62004	B/B	6½"
62005	B/B	7½"
62010	S/B	6½"
62011	S/B	7½"



Metzenbaum Scissors (Straight or Curved)

CA★ CE



Essential scissors for cutting delicate tissue and blunt dissection. Having a longer handle-to-blade distance, the Metzenbaum is available in a variety of lengths; the 7-inch length is most preferred.

Straight

Number	Length
62116	7"
62127	8"
62120	9"
62122	11"

Curved

Number	Length
62131	6"
62118	7"
62119	8"
62124	9"
62126	11"

Mayo Scissors (Straight or Curved)

CA★ CE



A classic pair of scissors for any Gyn office. While typically used for cutting more dense fascia, they can also be used to cut sutures. Available in different lengths; the 6¾-inch is most preferred.

Straight

Number	Length
62063	5½"
62065	6¾"
62066	9"

Curved

Number	Length
62067	5½"
62069	6¾"
62070	9"

Spencer Suture Scissors

CA★ CE



Standard scissors for the removal of sutures. One blade is notched to slide underneath the suture to facilitate removal.

Number	Description	Length
62164	Straight	3½"

Iris Scissors (Straight or Curved)

CA★ CE




"Must have" scissors for very delicate tissue dissection and the cutting of fine sutures. These petite scissors are available in the classic length of 4½ inches.

Number	Description	Length
62140	Straight S/S	4½"
62143	Curved S/S	4½"

Endometrial Samplers

Pipelle® Endometrial Suction Curette

CA  CE



Pipelle's intuitive design provides consistency of sample collection every time. The procedure takes less than a minute to perform and produces little if any post-procedure bleeding or patient discomfort. Completely self-contained, the Pipelle requires no additional equipment to complete the procedure. In most cases the Pipelle can be inserted without the need for dilation. Flexibility of the curette has been optimized to facilitate adaptation to normal uterine curvature, thus promoting contact with the wall for safe, improved sample collection.

Number	Description
--------	-------------

8200	Pipelle Endometrial Suction Curette (25/Box)
------	--

Combo-Pak Endometrial Sampling System



Ideal for patients requiring dilation before insertion due to a stenotic os or convoluted endocervical canal. The Combo-Pak includes Pipelle endometrial samplers for optimal retrieval and sterile Os Finders for quick and easy dilation.

Number	Description
--------	-------------

CSICP	Combo Pak – 25 Pipelle and 6 sterile Os Finders per box
-------	---

Pipet Curet™

CA  CE



Doctor-preferred endometrial sampler for smoother sampling and patient comfort. Thicker stylet with double "O-Ring" maximizes suction. Centimeter markings are highly pronounced for better visibility. Larger opening facilitates maximum tissue retrieval for more reliable results. Available in three options. The Standard Pipet comes in 3 mm and 4 mm and the soft yellow 3 mm is pliable, allowing the catheter to bend for easier insertion.

Number	Description
--------	-------------

MX140	3 mm (50/Box) – Greater integrity for stenotic Os
MX145	3 mm Soft Yellow (50/Box) – Pliable for molding catheter
MX150	4 mm (50/Box) – Multiparous patient

SelectCells Endometrial Samplers

CA 



SelectCells Endometrial Samplers offer proven clinical performance and reliability. The contoured finger grip, easy-to-read graduation marks and piston suction allow for smooth and efficient sampling. Available in Standard or Mini sizes, both samplers feature a narrow profile with a sharp edge for effective tissue collection.

SelectCells Mini offers the smallest tip diameter on the market. This powerful yet small endometrial sampler outperforms others, with its nontraumatic, easy-to-insert design. SelectCells Mini is the ideal choice for patients with stenotic Os or low pain tolerance.

Number	Description
--------	-------------

SM200	SelectCells Standard® Endometrial Sampler (25/Box)
SM203	SelectCells Mini® Endometrial Sampler (25/Box)

Uterine Explora™ Model I with Vacu-Lok Syringe

CA* CE



Utilizing a syringe suction technique for exceptional control and sample recovery, the cutting edge ensures optimal sample collection from all areas of the endometrial cavity. This disposable Explora Model incorporates a long nylon curette with Randall-type cutting edge, stylet and Vacu-Lok syringe that adjusts suction from approximately 15- to 20-inch Hg negative pressure (6 cc to 12 cc).

Number	Description
MX120	Uterine Explora with Vacu-Lok Syringe, 3 mm, Model I (25/Box)
MX124	Uterine Explora with Vacu-Lok Syringe, 4 mm, Model I (25/Box)

Uterine Explora™ Model II Dual-Port with Vacu-Lok Syringe

CA* CE



Uterine Explora Model II offers the same features as the Model I plus it has dual-port opening reduces suction force and discomfort for patients with low pain threshold or who are very apprehensive. Tissue is obtained via a scraping and peeling action. The Vacu-Lok syringe allows you to adjust the suction from approximately 15- to 20-inch Hg negative pressure (6 cc to 12 cc).

Number	Description
MX130	Uterine Explora II with Vacu-Lok Syringe Model II (25/Box)

Cannula Curette

The Cannula Curette is a sterile, latex-free disposable device consisting of a Karman-type suction curette for use with the 60 cc Handyvak Locking Syringe. This quiet, portable device obtains a histologic sample from the endometrium on an outpatient basis, usually without anesthesia. The Cannula Curette comes in a variety of sizes – smaller sizes are especially useful in the early detection of endometrial carcinoma or its precursors.



STAINLESS

CA*

With Syringe

Number	Description
MX622	2 mm (10/Box)
MX623	3 mm (10/Box)

SEMI-RIGID

CA*

With Syringe

Number	Description
MX603	3 mm (10/Box)
MX604	4 mm (10/Box)
MX605	5 mm (10/Box)
MX606	6 mm (10/Box)
MX607	7 mm (10/Box)

Without Syringe

Number	Description
MX624	4 mm (10/Box)
MX625	5 mm (10/Box)
MX626	6 mm (10/Box)
MX627	7 mm (10/Box)
MX633	3 mm (10/Box)

FLEXIBLE

CA*

With Syringe

Number	Description
MX503	3 mm (10/Box)
MX504	4 mm (10/Box)
MX505	5 mm (10/Box)
MX506	6 mm (10/Box)
MX507	7 mm (10/Box)

Without Syringe

Number	Description
MX513	3 mm (10/Box)
MX514	4 mm (10/Box)
MX515	5 mm (10/Box)
MX516	6 mm (10/Box)
MX517	7 mm (10/Box)

RIGID: CURVED SHORT (NO SYRINGE)

CA*

Number	Description	Number	Description
MX588	8 mm (10/Box)	MX591	11 mm (10/Box)
MX589	9 mm (10/Box)	MX592	12 mm (10/Box)
MX590	10 mm (10/Box)		

RIGID PLASTIC: CURVED LONG (NO SYRINGE)

CA*

Number	Description	Number	Description
MX508	8 mm (10/Box)	MX511	11 mm (10/Box)
MX509	9 mm (10/Box)	MX512	12 mm (10/Box)
MX510	10 mm (10/Box)		

RIGID PLASTIC: STRAIGHT LONG (NO SYRINGE)

CA*

Number	Description	Number	Description
MX558	8 mm (10/Box)	MX561	11 mm (10/Box)
MX559	9 mm (10/Box)	MX562	12 mm (10/Box)
MX560	10 mm (10/Box)		


Endometrial Samplers

Tis-U-Trap™ with Cannula Curette

CA

Designed to work with a suction source such as a pump or wall suction unit, endometrial tissue is collected directly into the Tis-U-Trap collection chamber, eliminating the need to transfer the tissue sample to another container. The collection chamber's unique design facilitates sample size determination. (See page 26 for Reusable Stainless Steel versions.)

The smaller sizes are especially useful in early detection of endometrial carcinoma or its precursors and endometrial dating.



Tis-U-Trap: Flat Shape

WITH CANNULA CURETTE – FLEXIBLE

Number	Description
MX403	3 mm (10/Box)
MX404	4 mm (10/Box)

WITH CANNULA CURETTE – SEMI-RIGID

Number	Description
MX413	3 mm (10/Box)
MX414	4 mm (10/Box)

WITH CANNULA CURETTE – STAINLESS

Number	Description
MX422	2 mm (10/Box)
MX423	3 mm (10/Box)

Tis-U-Trap: Cone Shape

WITH CANNULA CURETTE – FLEXIBLE

Number	Description
MX405	5 mm (10/Box)
MX406	6 mm (10/Box)
MX407	7 mm (10/Box)

WITH CANNULA CURETTE – SEMI-RIGID

Number	Description
MX415	5 mm (10/Box)
MX416	6 mm (10/Box)
MX417	7 mm (10/Box)

WITH CANNULA CURETTE – RIGID

Number	Description
MX448	8 mm (10/Box)
MX449	9 mm (10/Box)
MX450	10 mm (10/Box)
MX451	11 mm (10/Box)
MX452	12 mm (10/Box)

Traps Only

Number	Description
MX400CONE	Traps only – Cone Shape (10/Pack)
MX400FLAT	Traps only – Flat Shape (10/Pack)



Cone

Flat

Disposable Sound and Dilators

Fundus Sound™ XM



The Fundus Sound XM's clear depth markings and centimeter notches present a quick, easy-to-read display for fast and precise measurement of uterine depth. The disposable sound features a small diameter for greater patient comfort. Made from an advanced polymer material, the sound is malleable and offers the correct amount of pliancy to follow the curve of the cervix and uterus for quick and efficient procedures. Simply dispose of the sound after each use.

Number	Description
1196	Fundus Sound XM Disposable Uterine Sound (25/Box)

Os Finder™

CA*



The Os Finder naturally seeks and gently opens the cervical Os. Made of an extremely smooth and malleable Teflon-like material, this instrument is ideal for use in intracervical dilation or uterine sounding, or for intrauterine procedures.

Number	Description
1176	Os Finder (50/Box)

Milex™ Dilator / Sound Set

CA*



The Milex Dilator/Sound Set devices are single-use, disposable products that are ergonomically designed and engineered to provide superb balance and heightened tactile sensation. Specifically designed to safely facilitate: rapid location of the cervical Os, conservative endocervical dilation, gradual opening of the internal Os, accurate determination of uterine depth.

Number	Description
MX11	Milex Os Locator (25/Box)
MX12	Milex Canal Dilator (25/Box)
MX13	Milex Fundal Sound (25/Box)
MX21	Milex Dilator/Sound Set, 3 dilators per set: MX11, MX12, MX13 (10/Box)

Dilateria

CA*



Dilateria is ideal for gentle, atraumatic cervical dilation. It is a by-product of Laminaria Japonica, a natural plant from Northern Asia. The plant's stipe, or stem, is dried, sized and subsequently hand-processed to ensure proper rounding of the tip and a more uniform diameter. A string is attached for ease of location and removal, while a disc placed at the end minimizes further migration into the cervical canal.

Number	Description	Size
MX210	Dilateria Thin	3 mm
MX220	Dilateria Medium	4 mm
MX230	Dilateria Thick	5 mm
MX240	Dilateria Extra-Thick	6 mm

LEEP

The LEEP System 1000[®] Workstation

Maximize Space for In-office LEEP Procedures

The LEEP System 1000 Workstation was designed to meet the unique requirements of an office-based practice. Fully integrated and mobile, this system helps physicians achieve maximum space and equipment utilization in their practice. The workstation includes LEEP System 1000, the Smoke Evacuation System 6080, and a compact cart with internal storage.

- Microprocessor-controlled for increased precision, accuracy and reproducibility
- Pneumatic foot pedal for maximum safety
- High air flow efficiently captures smoke plume with variable-speed control for optimal regulation
- Triple-stage filtration captures 99.999 percent of airborne particulates and absorbs vapor and odor
- Audible safety features include distinct tones for each operating setting
- Virtually maintenance-free



LEEP System 1000 Workstation

LEEP System 1000 Workstation 110 v

Number	Description
KH1000	LEEP System 1000 Workstation 110 v <ul style="list-style-type: none"> • 1 (ea) Operation Manual • One (1) Year Warranty
	Smoke Evacuator 110 v
	LEEP System ElectroSurgical Generator 110 v
	LEEP Cart

LEEP System 1000 Workstation 220 v

Number	Description
KH1000A	LEEP System 1000 Workstation 220 v <ul style="list-style-type: none"> • 1 (ea) Operation Manual • One (1) Year Warranty
	Smoke Evacuator 220 v
	LEEP System 1000 ElectroSurgical Generator 220 v
	LEEP Cart

LEEP Smoke Evacuator

Number	Description
6080-2	Smoke Evacuator 110 v
6080A-50	Smoke Evacuator 220 v

LEEP System 1000 ElectroSurgical Generator

Number	Description
L1000	LEEP System 1000 110 v
L1000ACE	LEEP System 1000 220 v
L1000US	LEEP System 1000, Mexico


LEEP Cart

Number	Description
6095-2	LEEP Cart

LEEP Electrodes

Fischer Cone Biopsy Excisor™

Improves Control During
Cone Biopsy Procedures



An innovative LEEP electrode, the Fischer Cone Biopsy Excisor (FCBE) comes in a variety of sizes and shapes for precise cone biopsy specimens.

- Smooth, 360-degree rotating motion removes a perfect, cone-shaped cervical specimen in seconds
- Linear wire electrode stays rigid and makes a clean, precise cut with little or no bleeding, and less thermal artifact for easier pathology evaluation and simplified tissue analysis
- Stop Arm provides firm support and added stability for the wire electrode, resulting in better control and smoother cutting
- Arm curvature permits precise instrument positioning and allows for unobstructed visualization during procedure
- Shaft and Stop Arm are fully insulated to protect endocervical canal and underlying vaginal structures

Fischer Cone Biopsy Excisor

CA* CE


Number	Description
900-150	Fischer Cone Biopsy Excisor, Small (5/Box)
900-151	Fischer Cone Biopsy Excisor, Medium (5/Box)
900-152	Fischer Cone Biopsy Excisor, Large (5/Box)
900-154	Fischer Cone Biopsy Excisor, Medium Extended (5/Box)
900-155	Fischer Cone Biopsy Excisor, Large Shallow (5/Box)
900-156	Fischer Cone Biopsy Excisor, Mixed Set (S,M, ME, L & LS) 1 each (5/Box)
900-157	Fischer Cone Biopsy Excisor, Small Wide-Angle (5/Box)
900-158	Fischer Cone Biopsy Excisor, Small Wide-Angle Extended (5/Box)

BEST
SELLER


LEEP Electrodes (Shown Actual Size)

These original tungsten wire electrodes provide exceptional quality and performance. Our complete selection of 21 different offerings includes loops, squares, balls and needle tips specifically designed for loop electrosurgical excision procedures. Made of the finest tungsten wire for minimal charring, these universal electrodes have a standard $\frac{3}{32}$ -inch diameter brass connector shaft, for optimal conductivity, that can be used on most qualified generators.


Large-Radius Loop Electrodes ≥ 2 cm Wide CA★ CE




Number	Description
R2510	2.5 cm W x 1.0 cm D • 12 cm shaft (5/Box)




R2020	2.0 cm W x 2.0 cm D • 12 cm shaft (5/Box)
-------	---



R2015	2.0 cm W x 1.5 cm D • 12 cm shaft (5/Box)
-------	---




R2010	2.0 cm W x 1.0 cm D • 12 cm shaft (5/Box)
-------	---




R2008	2.0 cm W x 0.8 cm D • 12 cm shaft (5/Box)
-------	---


Medium-Radius Loop Electrodes < 2 cm Wide CA★ CE



Number	Description
R1515	1.5 cm W x 1.5 cm D • 12 cm shaft (5/Box)



R1507	1.5 cm W x 0.7 cm D • 12 cm shaft (5/Box)
-------	---



R1505	1.5 cm W x 0.5 cm D • 12 cm shaft (5/Box)
-------	---



R1010	1.0 cm W x 1.0 cm D • 12 cm shaft (5/Box)
-------	---



R1007	1.0 cm W x 0.7 cm D • 12 cm shaft (5/Box)
-------	---

Square Electrodes

CA* CE



Number	Description
--------	-------------

S1010	1.0 cm W x 1.0 cm D • 12 cm shaft (5/Box)
-------	---



S1007	1.0 cm W x 0.7 cm D • 5.5 cm shaft • 15° bend (5/Box)
-------	---



S1004	1.0 cm W x 0.4 cm D • 5.5 cm shaft • 15° bend (5/Box)
-------	---



V1004	1.0 cm W x 0.4 cm D • 8 cm shaft (5/Box)
-------	--

Ball Electrodes

CA* CE



Number	Description
--------	-------------

B0512	5 mm D • 12 cm shaft (5/Box)
-------	------------------------------



B0555	5 mm D • 5.5 cm shaft (5/Box)
-------	-------------------------------



B0312	3 mm D • 12 cm shaft (5/Box)
-------	------------------------------

Needle Electrodes

CA* CE



Number	Description
--------	-------------

N1200	0.8 mm D x 16 mm • 12 cm shaft (5/Box)
-------	--



N0550	0.8 mm D x 16 mm • 5.5 cm shaft (5/Box)
-------	---



N2512	0.25 mm D x 8 mm • 12 cm shaft (5/Box)
-------	--



N2555	0.25 mm D x 5 mm • 5.5 cm shaft (5/Box)
-------	---

LEEP System 1000 Accessories

Return Pad, Single Patient Use

CA* CE



These nonsterile patient return pads are used to complete the electrical circuit between the patient and the electrosurgical unit. The large size provides optimal safety for your patient.

Number	Description
6050P1	LEEP Return Pad, Single Patient Use (10/Box)

Handpiece Adapter

CA* CE



This reusable adapter connects the single-use handpiece to the LEEP System 1000™ and other generators.

Number	Description
22178	Handpiece Adapter for LEEP System 1000

Foot Pedal, LEEP System 1000

CA* CE



The foot pedal for the LEEP System 1000 is designed for exceptional performance and reliability during the LEEP procedure. Featuring pneumatic, air-operated control, the foot pedal does not use electric current, thus offering maximum safety for you and your patient.

Number	Description
6032	Foot Pedal for LEEP System 1000

Handpiece, Single Patient Use

CA*



The sterile, single-patient use handpiece works with any of our disposable electrodes. The wand is operated with a footswitch for ultimate hand precision.

Number	Description
6040	Handpiece, Single Patient Use (10/Box)

Patient Return Pad Adapter LEEP System 1000

CA* CE



This reusable replacement adapter connects the single-use Patient Return Pad to the LEEP System 1000.

Number	Description
23635	Patient Return Pad Adapter for LEEP System 1000 (for use with 6050P1 pads)

LEEP System 1000 Manual

CA* CE

The manual contains information about the proper procedure for inspecting and preparing the equipment before its use and for its care and storage after use. Note: The manual does not describe how an actual procedure is to be performed, nor is it meant to teach a beginner proper technique or any of the medical considerations regarding the use of this equipment.

Number	Description
34371	LEEP System 1000 Manual (No charge)

Disposable Smoke Evacuation (DSE) Tubing

CA* CE



Single-use, nonsterile DSE tubing is designed to work specifically with the LEEP rose-coated specula. The 9-inch DSE tubing is flexible and noncombustible and contains no harmful PVC. Simply slide the tubing through the DSE tube guide on your compatible instrument and attach to flexible "S" tubing to complete the setup. Discard used tubing after each procedure.

Also available as a set with 6 feet of tubing. See Tubing Set, Single Patient Use, product item number 6084.

Number	Description
6150	Disposable Smoke Evacuator Tubing – 9" straw (50/Bag)

Prefilter

CA* CE



Replacement filters for the CooperSurgical Smoke Evacuator. Used to eliminate smoke odor.

Number	Description
52560	Smoke Evacuator Prefilter (10/Box)

ULPA Filter

CA* CE



Used with the Smoke Evacuator for maximum particle capture. These highly rated filters capture particles down to 0.14 microns. Effective for approximately six months.

Number	Description
6082	Smoke Evacuator ULPA Filter (1/Each)

Tubing Set, Single Patient Use

CA* CE



Each set includes 6 feet of sterile disposable tubing and a DSE (Disposable Smoke Evacuation) tube. This set completes the connection between the reducer and the specula.

Number	Description
6084	Smoke Evacuator Tubing – 6', ½" outer diameter, sterile (10/Box)

Reducer

CA* CE



Disposable, single patient use reducer connects the Prefilter (52560) with the Patient Tubing Set (6084) on the Smoke Evacuator.

Number	Description
6083	Smoke Evacuator Reducer (10/Box)

LEEP Accessories**MiniVac – Stackhouse Flexible Tubing**

CA* CE



Stackhouse Flexible Tubing is intended for brief procedures generating minimal amounts of smoke.

Number	Description
395-703	Smoke Evacuator Filters for MiniVac Stackhouse Evacuator (3/Case)
395-704	Smoke Evacuator Tubing Assembly; Corrugated Tubing Reducer. ¾" Tubing (3/Box)

Compatible Disposable Accessories

The following items are compatible with most of the competitive products in the marketplace. See your local sales representative for more information.

Number	Description	
395-210	Electrode Tip Cleanser, Disposable (24/Box)	CE
395-302	Conductive Electrode Pads, Disposable for ESU (25/Box)	
395-305	Conductive Electrode Pads, Dual Dispersive, Disposable (25/Box) Plus II Gen.	
395-310	Hand-Switch Pencil and Cord, Disposable (25/Box)	
72308	Dual Section Grounding Pads (10/Box)	
72102	Filter/Hose set for Smoke Evacuator (Pack of 3)	CE
72311	Patient Return Cable	CA* CE
22192	LEEP 6000 Return Pad	
22191	Foot Pedal	

LEEP Procedure Essentials

LEEP RediKit®

LEEP RediKit includes everything you need to prepare and care for your patient before, during and after the procedure. This single-use kit is set up as an operating tray, organized to present procedure items as you need them. **For sale in the USA only.**

Each LEEP RediKit contains the following:

- 2 Cartridges, 2% Lidocaine® with Epinephrine 1.8 ml*
- 1 Potocky Needle® (for administration of cervical block)*
- 1 Lugol's (Strong Iodine Solution, USP) 8 ml, Single Dose
- 1 AstrinGyn® (Ferric Sub sulfate), 8 grams, Single Dose
- 6 Applicator Swabs, 8 inch
- 1 Pantyliner
- 1 Alcohol Wipe*
- 1 Underpad

*Sterile



Number	Description
6061	LEEP RediKit, Single-use, disposable. Contact Customer Service for ordering information.

Potocky Needle®



The 27-gauge Potocky Needle was specifically designed to solve the problem of applying injections to cervixes of varying length and density. Its reinforced and extended shaft makes cervical application an easy process. The Potocky Needle attaches to a "dental style" cartridge syringe, while the Potocky Needle with Luer Lock is used with a standard medical syringe.

Number	Description
6066	Potocky Needles (6/Box)
6066-4	Potocky Needles – 4 Boxes of 6 (24/Case)
6166	Potocky Needles with Luer Lock (6/Box)
6166-4	Potocky Needles with Luer Lock – 4 Boxes of 6 (24/Case)

Needle Extension

CA ☙ CE

Number	Description
433-132	Needle Extension • 10 cm (1/Box)
433-133	Needle Extension • 13 cm (1/Box)
433-134	Needle Extension • 15 cm (1/Box)



Cartridge Syringe

CA ☘ CE

This reusable "dental style" syringe, coupled with the Potocky Needle and lidocaine cartridges, greatly facilitates cervical application of local anesthesia.

Number	Description
22181	Cartridge Syringe



AstrinGyn®

AstrinGyn – CooperSurgical's thickened Monsel's solution – quickly controls oozing and bleeding for colposcopic and LEEP procedures. The gel consistency makes this styptic product both easy to apply and essential to your practice. **For sale in the USA only.**

Number	Description
6065	AstrinGyn (12/Box)
6065-4	AstrinGyn – 4 Boxes of 12 (48/Case)



Lugol's

Lugol's strong iodine solution can be used during colposcopy to assist in recognition and delineation of cervical lesions. Conveniently packaged in single-use vials; both beginning and experienced colposcopists appreciate the added visualization.

For sale in the USA only.

Number	Description
6064	Lugol's. Contact Customer Service for ordering information. (12/Box)
6064-4	Lugol's. Contact Customer Service for ordering information. (48/Case)



Euro-Med® LEEP Instruments

These nonconductive, fully autoclavable LEEP instruments are offered in a variety of styles to facilitate cervical tissue excision and removal.

The first choice for proven performance, CooperSurgical provides the broadest selection of fully autoclavable instruments for LEEP procedures. Our "rose-coated" instruments will provide you with durability and performance unmatched in the industry.




Pederson LEEP Specula

CA* CE

Designed specifically for electrosurgical applications, Pederson's narrow blades are more comfortable for smaller patients or those with a narrow vaginal canal.

Number	Description	Size mm
F223	Small	W13 L81
F221	Medium	W22 L114
F220	Large	W25 L120



Vu-More™ LEEP Specula

CA* CE

The Vu-More provides 25 percent more viewing area at the yoke than a comparable Graves design, to provide easier instrument access and improved visibility.

Number	Description	Size mm
F217	Medium	W33 L113
F215	Large	W35 L127



Vu-Max™ LEEP Specula

CA* CE

The Vu-Max vaginal speculum's unique design substantially reduces the chance of obstructing either the physician's view or instrument access.

Number	Description	Size mm
F222	Pederson Medium	W22 L114
F224	Pederson Large	W25 L120
F218	Graves Medium	W33 L113
F219	Graves Large	W35 L127



Prima Series® Vaginal LEEP Specula

CA* CE

Prima Series LEEP Specula are made from a high-density polymer, so there is no coating. That means no chipping, no cracking and no recoating. Ever. (Note: this is the only Euro-Med Speculum not crafted from stainless steel.)

Number	Description	Size mm
PSV-1L	Medium	W33 L113
PSV-2L	Large	W35 L125




Graves LEEP Specula

CA* CE

This popular vaginal speculum features the standard Graves blade and throat design.

Number	Description	Size mm
F205	Medium	W33 L113
F200	Large	W35 L127



Snowman™ LEEP Specula

CA* CE

Designed for the obese patient, the Snowman Speculum has extended blade length for optimal cervical access and a Vu-More™ yoke opening for easier instrument maneuverability.

Number	Description	Size mm
F107	Graves Blade	W35 L152
F117	Pederson Blade	W25 L152
F127	One each/Graves and Pederson	



(W=Distal End) (L=Penetration Length)

To place an order, call us at: 800.243.2974 | Visit us online at: www.CooperSurgical.com

Mini Vu-More LEEP Specula

CA★ CE

This speculum features very short blades to facilitate examination of patients with cervical prolapse or very short vaginal canals.

Number	Size mm
--------	---------

F250	W34 L93
------	---------


**Open-Sided LEEP Specula**

CA★ CE

This vaginal speculum features a sturdy one-sided hinge arrangement for improved instrument access and visibility.

Number	Size mm
--------	---------

F210	W35 L107
------	----------

**Auvard Surgical Specula**


CA★ CE

This 2.5-pound weighted speculum can be used safely in any operative vaginal procedure where the use of electrosurgery is anticipated.

Number	Description	Size mm
--------	-------------	---------

F230	Medium (Wide/ Short Blade)	W43 L55
------	----------------------------	---------

F232	Large (Narrow/ Long Blade)	W35 L90
------	----------------------------	---------

**Jackson LEEP Retractor**


CA★ CE

This coated retractor can be inserted and pulled downward to provide maximum posterior viewing.

Number	Description	Size mm
--------	-------------	---------

F235	Medium	W40 L89
------	--------	---------

F234	Large	W40 L108
------	-------	----------

**Cer-View™ LEEP Lateral Wall Retractor**

CA★ CE

Retracting redundant vaginal tissue, Cer-View provides increased exposure the cervix, especially important when vaginal prolapse is an issue or with nulliparous patients. Contoured and shaped to fit into the yoke of a standard speculum and expand beyond the width of the speculum blades for an unobstructed view.

Number	Description	Size mm
--------	-------------	---------

F410	Medium	W22 L142
------	--------	----------

F420	Large	W22 L155
------	-------	----------

**Tru-View™ LEEP Lateral Wall Retractor**

CA★ CE

Naturally fitting the obese patient, the Tru-View features longer blades to safely expose and access the cervix. Provides added strength and support under prolapse conditions. The perfect complement to the Snowman Speculum.

Number	Description	Size mm
--------	-------------	---------

F317	Lateral Wall Retractor	W32 L190
------	------------------------	----------

**Graves Specula (with Integrated Smoke Tube)**

CA★

This popular vaginal speculum features the standard Graves blades and incorporates an integrated smoke tube. Available in three sizes.

Number	Description	Size mm
--------	-------------	---------

61513	Small	W22 L87
-------	-------	---------

61514	Medium	W33 L113
-------	--------	----------

61515	Large	W35 L125
-------	-------	----------

**Pederson LEEP Specula (with Integrated Smoke Tube)**

CA★


This model is specifically modified for electrosurgical applications. The narrow blades are more comfortable for your smaller patients or those with a narrow vaginal canal. Features integrated smoke tube. Available in three sizes.

Number	Description	Size mm
--------	-------------	---------

61521	Small	W16 L84
-------	-------	---------

61518	Medium	W22 L114
-------	--------	----------

61519	Large	W26 L121
-------	-------	----------



LEEP Tenacula, Hooks and Rulers

Instruments are checked for appropriate coating thickness and proper insulation to ensure maximum patient safety during electrosurgical procedures.

LEEP Campion Forceps

CA* CE



Angled shaft and tip provide better visualization of the target tissue being grasped or removed.

Number	Instrument Length
F925	220 mm

LEEP Two-Prong Hook

CA* CE



The angle at which the prongs are set permits easy manipulation of the cervix while avoiding obstruction of the electrode.

Number	Instrument Length
F802	260 mm

LEEP Hook

CA* CE



Select this small hook when stabilization of tissue is required during excision.

Number	Instrument Length
F810	Straight 250 mm
F812	Left-Angled 250 mm
F813	Right-Angled 250 mm

LEEP Ring Forceps

CA* CE



Long-handled forceps facilitate manipulation and retrieval of tissue during and after the procedure.

Number	Instrument Length
F920	220 mm

LEEP Single-Tooth Tenaculum

CA* CE



These long tenacula provide maximum cervical stabilization through their two opposing hooks.

Number	Instrument Length
F900	240 mm

LEEP Three-Prong Hook

CA* CE



The prong arrangement is designed to allow complete access, maximum tissue manipulation and stabilization of the cone during the procedure.

Number	Instrument Length
F803	260 mm

LEEP Depth Ruler

CA* CE



Ensures accuracy of tissue removal during loop excision with easy-to-read markings.

Number	Instrument Length
F600	240 mm

LEEP Tissue Forceps

CA* CE



These tissue forceps are perfect for safe tissue manipulation at the surgical site.

Number	Working Length
F700	210 mm

LEEP Emmett Tenaculum

CA* CE



This larger hook affords added stability to the cervix during LEEP procedures.

Number	Instrument Length
F805	250 mm

LEEP Iris Hook

CA* CE



This popular small hook stabilizes the tissue and allows maximum electrode access.

Number	Instrument Length
F800	263 mm

LEEP Width Ruler

CA* CE




The easy-to-read millimeter markings are ideal for measuring the width of the excised sample.

Number	Instrument Length
F610	210 mm

LEEP Endocervical Specula

CA* CE

Based on our most popular ratchet handle design, these "rose-coated" instruments facilitate accurate examination of the endocervical canal for complete patient care. The 5 mm tip is recommended for the multiparous woman.



Number	Tip Size	Length
F500	5 mm	273 mm



Number	Tip Size	Length
F510	4 mm	273 mm

Cervical Cryosurgery

LEISEGANG® LM-900 Cryosurgery System

High Performance and Low Cost



The LEISEGANG LM-900 Cryosurgery System is the right unit for a busy practice. The calibrated, easy-to-read pressure gauge helps reduce the number of repeat procedures, and the solid brass gas manifold offers added safety. Its lightweight body is designed for improved clinical visibility and less muscle fatigue, while the molded console protects the internal system components.
















Number	Description	
50501	LM-900 N ₂ O Cryosurgery Unit with Case	CA* CE
50502	LM-900 CO ₂ Cryosurgery Unit with Case	CA* CE

ACCESSORIES

Number	Description		
50000	Empty 20 lb. N ₂ O	CE	
50010	Empty 20 lb. CO ₂	CE	
50003	20 lb. Cylinder Cart	CA* CE	
50007	E-Cylinder Adapter N ₂ O	CE	
50008	E-Cylinder Adapter CO ₂	CE	
50009	Carrying Case	CA* CE	
50011	O-Rings (10 μ)	CA* CE	
50012	Cleaning Plugs (1 μ)	CA* CE	

LEISEGANG LM-900 Probes

CA* CE

				
Number Description	Number Description	Number Description	Number Description	Number Description
50101 Microderm	50102 Soll Lash Epilating	50103 Condyloma 5 mm D x 2.5 mm L	50104 Derm Bevel	50105 General Purpose 19 mm D x 9 mm L
				
50106 Large Derm Bevel	50107 Curved Anorectal 5 mm D x 38 mm L	50108 General Purpose 19 mm D x 8 mm L	50109 Exocervical 19 mm D x 9 mm L	50110 Exo/Endocervical 19 mm D x 14 mm L
				
50111 Special Exo/Endo 19 mm D x 14 mm L	50112 Exo/Endocervical 19 mm D x 23 mm L	50113 Maxiderm	50114 Large Exocervical 25 mm D x 10 mm L	50115 Jumbo Exo/Endo 25 mm D x 17 mm L

Frigitronics® Cryo-Plus™

Engineered to Provide Effective Cryosurgical Treatment

- Excellent thermal conductivity
- Temperature gauge for both cryo probe tip and thermocouple ensures adequate freeze with each treatment
- Rapid freeze and quick defrost
- Accurate and easy-to-read pressure gauge
- Probe shaft connects at the handle for added patient safety
- Wide choice of probes for every lesion and location
- Console with integrated storage area for five tips
- Autoclavable probes and shaft

Ease of Operation

The Frigitronics Cryo-Plus System has everything you need to perform cryosurgery procedures, from excellent probe thermoconductivity to temperature- and pressure-control gauges. By monitoring the actual tip temperature with every freeze, you are assured an adequate performance with each treatment.

Designed for safety and portability, the Frigitronics Cryo-Plus Probes are interchangeable and autoclavable for improved equipment turnaround and to eliminate the potential for cross-contamination.

Sales Configuration Options Are:

Frigitronics Cryo-Plus Surgical Package

The Cryo-Plus package includes: control console with integrated 5-foot probe line yoke assembly, yoke, probes storage rack choice of cylinder cart with 20 feet of scavenging hose.

Please note: gas cylinders are shipped empty

Number	Description
P2471	1-Probe Package
P2472	2-Probe Package
P2473	3-Probe Package
P2474	4-Probe Package
P2475	5-Probe Package



Gas Tanks, Covers, Carts, and Accessories

Number	Description	CA* CE
656	Cylinder Cover for 20 lb. "G" tanks	CA* CE
657	Cylinder Cover for "E" tanks	CA* CE
659	"E" Cylinder, Empty	CA* CE
50000	20 lb. "G" Cylinder, Empty	CE
679	Double "E" Cylinder Cart	CE
681	Single "E" Cylinder Cart	CA* CE
694	Single "G" Cylinder Cart	CA* CE
32873	Exhaust Tube, Rear 20'	CA* CE
2475	Procedural Timer	CA* CE
2476	Probe Storage Clip	CA* CE
2477	Thermocouple Needle (blue) 22-gauge x ¾"	CA* CE
P190	Gas Purifier with One Cartridge (Filter)	CA* CE
P191	Replacement Cartridges for P190 (6/Package)	CA* CE

Cryo-Surg® Hand Held System

CA* CE

This lightweight, nonelectric system provides a continuous uniform freeze, with specialized valve and anticlog tips to ensure no freezing, dripping, or clogging. The self-pressurizing unit maintains a constant low pressure for immediate use. The unique handle is made from a thermally nonconductive polymer to eliminate hand freeze, and is anatomically angled to reduce hand and wrist fatigue. Available with a wide assortment of interchangeable Luer Lock tips.

Number	Description
P5900	Cryo-Surg Liquid Nitrogen Handheld System with 19-gauge Spray Needle, Exhaust Tube and Spare "O" Ring

ACCESSORIES

52240	Exhaust Tubing (20" with Velcro)
20188	Cryo-Surg Tubing



To place an order, call us at: 800.243.2974 | Visit us online at: www.CooperSurgical.com

Various cart configurations allow the system to be used in numerous practice locations (office and hospital). The system has a 5-probe storage capacity.











Frigitronics Cryo-Plus Systems

Number	Description
2400	Cryo-Plus with 20 lb. "G" cylinder yoke
2401	Cryo-Plus with single "E" cylinder yoke
2402	Cryo-Plus with double "E" cylinder yoke



All Probe Cannulas Have Scientifically Measured Air Gap Insulation Within the Cannula

Frigitronics Cryo-Plus Gynecology Probes

				
No. 2440	No. 2441	No. 2442	No. 2443	No. 2444
Description General Purpose Probe 6 mm D x 6.5 mm L	Description Micro Probe 2 mm D x 4.5 mm L	Description Small Cervix Probe 19 mm D x 9 mm L	Description Large Cervix Probe 25 mm D x 8 mm L	Description Small Cone Probe 19 mm D x 15 mm L
				
No. 2445	No. 2446	No. 2447	No. 2448	No. 2449
Description Large Cone Probe 25 mm D x 17 mm L	Description Small Flat Cervix Probe 19 mm D x 4 mm L	Description Large Flat Cervix Probe 25 mm D x 4 mm L	Description Urethral Probe (Long) 8.7 mm D x 4 cm L	Description Urethral Probe (Short) 8.7 mm D x 1 cm L

Cryo-Surg® Spray Cone Tips



Number	Description
5212	10 mm Spray Cone
5213	15 mm Spray Cone
5214	20 mm Spray Cone
5215	25 mm Spray Cone

Cryo-Surg Spray Needle Tips



Number	Description	
515	18-gauge Spray Needle	CA★ C€
516	19-gauge Spray Needle	CA★ C€
5232	20-gauge Spray Needle	
5233	22-gauge Spray Needle	
5234	24-gauge Spray Needle	

Cryo-Surg Closed Probe Tips



Number	Description
5235	1.5 mm Closed Probe
5236	3 mm Closed Probe
5237	5 mm Closed Probe
5238	10 mm Closed Probe
52240	Exhaust Tubing (20" with Velcro) CA★

Ophthalmic Cryosurgery

Frigitronics® CE-2000™

Continuing to Set the Cold
Standard in Your Practice

The Frigitronics CE-2000 is a completely nonelectric, low-pressure, fully exhausted cryosurgical system that uses nitrous oxide gas. The system destroys tissue by applying extreme, controlled temperature down to a maximum of -89° C.

The CE-2000 consists of a control console with foot pedal, mobile equipment carrier, nitrous oxide cylinders and cryosurgical probes. Depress the foot pedal to rapidly freeze and release to defrost. The backlight display activates automatically when the foot pedal is depressed.

An automatic shut-off built into the system will stop the flow of nitrous oxide gas and will shut off the backlight and display approximately four minutes after the probe has been set aside. The system can be reactivated by simply depressing the foot pedal. A wide range of probes are available for use with the CE-2000

Number	Description	
CE-2000	CE-2000 Control Console with foot pedal	CA* CE

Gas Tanks, Filters and Covers

Number	Description	
656	Cylinder Cover for 20 lb. "G" tanks	CA* CE
657	Cylinder Cover for "E" tanks	CA* CE
659	"E" Cylinder, Empty	CA* CE
50000	20 lb. "G" Cylinder, Empty	
20370-3	High-Pressure Hose (Synflex – black) with fittings	CA* CE

Yoke Assemblies for "E" and "G" Cylinders

Number	Description	
5088	"E" Cylinder single-yoke assembly with filter	CA* CE
5093	"E" Cylinder double-yoke assembly with filter	CA* CE
5014	"G" Cylinder single-yoke assembly	CA* CE
5087	"G" Cylinder single-yoke assembly with filter	CA* CE
20917	Retrofit "E" Cylinder Yoke	CA* CE
51746	Retrofit "G" Cylinder	CA* CE
52038	"G" Cylinder double-yoke assembly with filter	CA* CE



Carts and Carriers for Cylinders

Number	Description
20566	Exhaust Tube, Front 6"
32873	Exhaust Tube, Rear 20'

Exhaust Output

Number	Description	
503	Office Cart for Single "G" 20 lb. cylinder with yoke assembly	CE
504	Office Cart for Single "G" 20 lb. cylinder with yoke assembly with filter	CE
506	Mobile Equipment Carrier (with built-in "E" cylinder double-yoke assembly with filter)	CE
507-1A	Mobile Equipment Carrier (with built-in "G" 20 lb. cylinder double-yoke assembly with filter)	CA* CE

Frigitronics® CE-2000™ Probes

Supercool Retinal and Glaucoma Probes CA* C€

No.	Description
142	Posterior Retinal – 2.7 mm tip x 2.7 mm dia. x 38 mm shaft
161	Curved Retinal – 2.5 mm tip x 2.5 mm dia. x 38 mm shaft
162	Straight Retinal – 2.5 mm tip x 2.5 mm dia. x 38 mm shaft
163	Spherical Retinal – 3.0 mm sphere x 2.1 dia. x 38 mm shaft
164	Straight Glaucoma – 3.5 mm tip x 3.5 mm dia. x 38 mm shaft
165	Curved Glaucoma – 3.5 mm tip x 3.5 mm dia. x 38 mm shaft
166	3.2 mm Straight Retinal – 3.2 mm tip x 3.2 mm dia. x 38 mm shaft
167	3.2 mm Curved Retinal – 3.2 mm tip x 3.2 mm dia. x 38 mm shaft

Standard Retinal Probes CA* C€

No.	Description
124	Straight Retinal – 2.5 mm tip x 2.5 mm dia. x 38 mm shaft
125	Curved Retinal – 2.5 mm tip x 2.5 mm dia. x 38 mm shaft
139	Spherical Retinal – 3.0 mm sphere x 2.1 mm dia. x 28 mm shaft
143	Hammerhead, Curved – 3.5 mm tip x 2.5 x 6.5 mm dia. x 40 mm shaft
144	Hammerhead, Straight – 3.5 mm tip x 2.5 x 6.5 mm dia. x 40 mm shaft

Optical Retinal Probes CA* C€

No.	Description
708-4	Straight Retinal – 3.2 mm tip x 4.0 mm dia. x 40 mm shaft
708-5	Curved Retinal – 3.2 mm tip x 4.0 mm dia. x 40 mm shaft

Cataract Probes CA* C€

No.	Description
126	Straight – 1.0 tip x 1.8 mm tip dia. x 27 mm shaft x 1.8 mm shaft dia.
127	Curved – 1.0 tip x 1.8 mm tip dia. x 27 mm shaft x 1.8 mm shaft dia.
128	Micro Straight – 1.0 mm tip dia. x 27 mm shaft x 1.0 mm shaft dia.
147	Micro Curved – 1.0 mm tip dia. x 27 mm shaft x 1.0 mm shaft dia.

Cryoanalgesia Probes CA* C€

No.	Description
228	17-gauge Trocar Tip – 2.5 mm tip dia. x 1.5 mm tip x 100 mm shaft
237	19-gauge Round Tip – 1.5 mm tip dia. x 1.0 mm tip x 100 mm shaft
238	19-gauge Angle Tip – 2.5 mm tip dia. x 1.0 mm tip x 100 mm shaft
239	19-gauge Trocar Tip – 2.5 mm tip dia. x 1.5 mm tip x 100 mm shaft

Trichiasis Probes CA* C€

No.	Description
171	18-gauge Cone Probe – 19 mm shaft x 1.3 mm shaft dia.
172	3 mm Multi-Lash – 19 mm shaft x 2.8 mm shaft dia. x 5 mm tip x 2.7 mm tip dia.
173	6 mm Multi-Lash 19 mm shaft x 2.8 mm shaft dia. x 5 mm tip x 2.7 mm tip dia.

Pediatric Retinal Probes CA* C€

No.	Description
120	1.8 mm Retinal Curved – 1 mm tip x 2.54 mm dia. x 26 mm shaft
121	2.08 mm Retinal Curved – 1 mm tip x 2.84 mm dia. x 27 mm shaft
122	1.5 mm Spherical Retinopathy – 1.5 mm sphere x 1.5 mm dia. x 34 mm shaft
123	3 mm Disc Probe – 3 x 1.5 mm tip x 1.5 mm dia. x 35 mm shaft

Vitreous Intraocular Probe CA* C€

No.	Description
134	20-gauge 35 mm x .89 mm diameter

Fiber Optic Illumination CA* C€

No.	Description
HS4100	Halogen Light Source (1500 candle power)

Insulating Sleeves CA* C€

No.	Description
P805	For Probes 124/125/142/161/162/166/167 (Retinal) 6/Pkg
805-1	For Probes 143/144 (Hammerhead) (6/Pkg)
32709	For Probes 128/132/147 (Micro) (1/Pkg)
32710	For Probes 126/127 (Cataract) (6/Pkg)
32787	For Probes 139/163 (Retinal Spherical) (1/Pkg)
33098	For Probes 130/164/165 (Glaucoma) (6/Pkg)
33555	Insulating Sleeves for Probes 120/121 (Retinal Pediatric) (1/Pkg)
33966	Insulating Sleeves for Probe 122 (Retinal Spherical Pediatric) (1/Pkg)

Milex™ Pessaries

Making Life Easier for You and Your Patient

CooperSurgical offers:

- Office inventory management – ensure most commonly used pessaries and quantities in stock
- Superior knowledge of your account – reduces over-stock issues
- Experts in specific indications for which the different pessaries are utilized
- In-service/re-training on the different indications and patient profiles
- Excellent product quality and consistency
- Superior Customer Service
- Patient education materials



Milex™ Pessaries Fitting Kit55

Milex™ Pessaries for
Prolapse and Incontinence56

Milex™ Pessaries Sizing Charts60

Milex™ Pessaries

Our Pessaries Are Autoclavable

Milex Pessaries are used to help patients with pelvic organ prolapse (POP) and urinary incontinence. They come in 25 different styles and many sizes to fit each patient's anatomy. Made of soft, autoclavable, medical-grade silicone, Milex Pessaries are an excellent addition to any practice that treats women with lower urinary tract dysfunction.

Milex™ Pessary Fitting Kit



The Milex Pessary Fitting Kit was developed to help you in your practice to determine accurate sizing prior to prescribing a pessary for your patient. Note: for fitting only, not for long-term patient use.

Number	Description
MXFIT	Pessary Fitting Set (For sale in the USA only)
MXFIT-CO	Pessary Fitting Set Case and Tray only (no pessaries)
MXFIT-CH	Pessary Fitting Set (China) Note: Limited selection of Gellhorns, Rings with support and Incontinence Dish without Trimo-San
MXFIT-CA	Pessary Fitting Set (International) Note: As seen in above photo but without Trimo-San

ACCESSORIES

CA* CE

Number	Description	Number	Description
MXFIT0016	Fitting Gellhorn Short Stem Flexible 2¼"	MXFIT0801	Fitting Incont. Dish with support #2
MXFIT0017	Fitting Gellhorn Short Stem Flexible 2½"	MXFIT0802	Fitting Incont. Dish with support #3
MXFIT0018	Fitting Gellhorn Short Stem Flexible 2¾"	MXFIT0803	Fitting Incont. Dish with support #4
MXFIT0019	Fitting Gellhorn Short Stem Flexible 3"	MXFIT0804	Fitting Incont. Dish with support #5
MXFIT0012	Fitting Gellhorn Flexible 2¼"	MXFIT0805	Fitting Donut #2
MXFIT0013	Fitting Gellhorn Flexible 2½"	MXFIT0806	Fitting Donut #3
MXFIT0014	Fitting Gellhorn Flexible 2¾"	MXFIT0807	Fitting Donut #4
MXFIT0015	Fitting Gellhorn Flexible 3"	MXFIT0808	Fitting Donut #5
MXFIT0020	Fitting Ring with support #2	MXFIT0809	Fitting Cube #2
MXFIT0021	Fitting Ring with support #3	MXFIT0810	Fitting Cube #3
MXFIT0022	Fitting Ring with support #4	MXFIT0811	Fitting Cube #4
MXFIT0023	Fitting Ring with support #5	MXFIT0812	Fitting Cube #5
MXFIT0024	Fitting Ring with support #6	MXFIT0072	Manikin
MXFIT0025	Fitting Ring with support #7		

Trimo-San™ – Vaginal Jelly

Trimo-San helps restore and maintain the normal vaginal acidity and coats the walls of the vagina with a lubricating film that helps reduce odor-causing bacteria. Trimo-San is a recommended adjunct for pessary wearers. **For sale in the USA only.**



Number	Description
MX5030	Trimo-San Cream with Jector (MXAPP Jel-Jector replacement at no charge)

Pessary PowerPoint CD

CA* CE

A detailed educational presentation for medical professionals on pessary use in a Microsoft PowerPoint format. An excellent tool when making a presentation on pessaries and their uses for many gynecologic indications. Also includes information on the history of the pessary and on insurance reimbursement.



Number	Description
MXPESCD	Pessary PowerPoint CD

To place an order, call us at: 800.243.2974
Visit us online at: www.CooperSurgical.com

Milex™ Pessaries for Prolapse and Incontinence (See pages 60-61 for sizing chart)

P Prolapse **I** Incontinence

Ring / Folding

P

For mild prolapse

Number

MXKPER + Size **CA** **CE**



Ring with Knob / Folding

P**I**

For mild prolapse complicated by stress urinary incontinence

Number

MXKPERK + Size **CA** **CE**



Ring with Support / Folding

P

For mild prolapse complicated by a mild cystocele

Number

MXKPRS + Size **CA** **CE**




Incontinence Ring / Flexible

I

For stress urinary incontinence

Number

MXKPCON + Size **CA** **CE**



Ring with Support and Knob / Folding

P**I**

For mild prolapse complicated by a mild cystocele and stress urinary incontinence

Number

MXKPRSK + Size **CA** **CE**



Shaatz / Folding

P

For mild prolapse complicated by mild cystocele

Number

MXKPSH + Size **CA** **CE**



P Prolapse **I** Incontinence

Donut

P



Support for third-degree prolapse/procidentia. Not to be deflated during insertion or removal. See Inflatoball if a deflatable pessary is necessary

Number

MXKPDO + Size **CA** **CE**



Gellhorn / Flexible – Short Stem


P



For third-degree prolapse/procidentia. Length is 1-inch from base to tip

Number

MXKPGSS + Size **CA** **CE**



Regula / Folding

P



For uterine prolapse (first and second degree)

Number

MXKPREG + Size **CA** **CE**



Gellhorn / Flexible


P



For third-degree prolapse/procidentia. Length is 1½-inch from base to tip

Number

MXKPGF + Size **CA** **CE**



Hodge with Support and Knob / Folding

I



For stress urinary incontinence complicated by a mild cystocele in the woman who has a small vaginal introitus

Number

MXKPHSK + Size **CA** **CE**



Hodge with Knob / Folding

I



For stress urinary incontinence in the woman who has a small vaginal introitus

Number

MXKPEHK + Size **CA** **CE**



Milex™ Pessaries for Prolapse and Incontinence (See pages 60-61 for sizing chart)

P Prolapse **I** Incontinence

Hodge with Support / Folding **I**



For stress urinary incontinence with a mild cystocele for a woman who has a very small vaginal introitus

Number

MXKPHS + Size **CA** **CE**



Hodge / Folding **I**



For stress urinary incontinence in a woman who has a very small vaginal introitus. May be helpful in cases of repeated miscarriages due to an incompetent cervix by repositioning the weight on the growing fetus

Number

MXKPEH + Size **CA** **CE**




Incontinence Dish / Folding **P** **I**




For stress urinary incontinence with mild prolapse

Number

MXKPCOND + Size **CA** **CE**



Risser / Folding **I**



Designed for the patient with a shallow pubic notch. Has larger weight-bearing zone to support vaginal aspects of pubis. May be helpful in cases of repeated miscarriages due to an incompetent cervix by repositioning the weight of the growing fetus

Number

MXKPRI + Size **CA** **CE**



Incontinence Dish with Support / Folding **P** **I**



For stress urinary incontinence with mild prolapse and mild cystocele

Number

MXKPCONDS + Size **CA** **CE**



Smith / Folding **I**



Modification of Hodge Pessary. For stress urinary incontinence, designed for patients with a well-defined pubic notch. May be helpful in cases of repeated miscarriages due to incompetent cervix by repositioning the weight of the growing fetus

Number

MXKPES + Size **CA** **CE**



P Prolapse **I** Incontinence

Gehrung with Knob / Folding **I**



For cystocele with or without mild rectocele complicated by stress urinary incontinence

Number

MXKPGSK + Size **CA** **CE**



Gehrung / Folding **P**




Support for cystocele and rectocele. It is also more adaptable in cases of procidentia where the uterus tends to herniate when other pessaries are used

Number

MXKPGS + Size **CA** **CE**



Cube **P**



Support for third-degree prolapse/procidentia. Should be removed nightly


Number

MXKPEC + Size **CA** **CE**

Cube with drainage holes also available

Number

MXKPECH + Size **CA** **CE**




Tandem-Cube **P**




Support for third-degree prolapse/procidentia when single cube (above) provides inadequate support. Should be removed nightly

Number

MXKPECT + Size **CA** **CE**



Milex™ Inflatoball **P**



Inflatable for third-degree prolapse/procidentia with or without a mild cystocele and/or rectocele. Should be removed nightly

Number

MXKPINF + Size

CA **CE**




Milex™ Pessary Sizing Chart

Shaded areas show the minimum assortment necessary to fit approximately 85 percent of patients.

Hodge — MXKPEH


CA★CE



Size	in. (A)	in. (B)	mm (A)	mm (B)
0	2½"	1¼"	70	44
1	3"	1⅝"	76	48
2	3¼"	1⅞"	83	49
3	3½"	2"	89	51
4	3⅝"	2⅛"	92	54
5	3¾"	2¼"	95	57
6	3⅞"	2½"	98	60
7	4"	2⅝"	108	64
8	4¼"	2⅞"	117	67
9	5"	2¾"	127	70

Smith — MXKPES


CA★CE



Size	in. (A)	in. (B)	mm (A)	mm (B)
0	3⅝"	2"	79	51
1	3¾"	2⅛"	83	54
2	3⅞"	2¼"	89	57
3	3⅝"	2⅝"	95	60
4	4¼"	2⅝"	108	64
5	4½"	2⅞"	114	67
6	4¾"	2¾"	121	70
7	5"	2⅞"	127	73
8	5½"	3"	140	76
9	5¾"	3⅝"	146	79

Gehring — MXKPGS


CA★CE



Size	in. (A)	in. (B)	in. (C)	mm (A)	mm (B)	mm (C)
0	1⅞"	1½"	1⅜"	27	38	35
1	1⅞"	1¾"	1½"	29	44	38
2	1⅞"	2"	1⅞"	35	51	41
3	1½"	2⅞"	1¾"	38	54	44
4	1⅞"	2¼"	1⅞"	41	57	48
5	1¾"	2⅞"	2"	44	60	51
6	1⅞"	2½"	2⅞"	48	64	54
7	2"	2⅞"	2¼"	51	73	57
8	2⅞"	3"	2⅞"	54	76	60
9	2¼"	3⅞"	2½"	57	79	64

Regula — MXKPREG

CA★CE



Size	in. (A)	in. (B)	in. (C)	mm (A)	mm (B)	mm (C)
0	1⅞"	1½"	1⅜"	27	38	35
0	1"	1⅞"	1⅜"	25	49	35
1	1⅞"	2"	1½"	27	51	38
2	1⅞"	2⅞"	1⅞"	29	54	51
3	1¼"	2⅞"	1¾"	32	56	44
4	1⅞"	2¼"	1⅞"	35	57	48
5	1⅞"	2⅞"	2"	37	60	51
6	1½"	2⅞"	2⅞"	38	67	54
7	1⅞"	2⅞"	2¼"	41	73	57
8	1¾"	3⅞"	2⅞"	44	79	60

**Ring with Support
MXKPRS**

CA ★ CE



Size	in.	mm
0	1½"	44
1	2"	51
2	2¼"	57
3	2½"	64
4	2¾"	70
5	3"	76
6	3¼"	83
7	3½"	89
8	3¾"	95
9	4"	102
10	4¼"	108
11	4½"	114
12	4¾"	121
13	5"	127

**Incontinence Ring
MXKPCON**

CA ★ CE



Size	in.	mm
0	1½"	44
1	2"	51
2	2¼"	57
3	2½"	64
4	2¾"	70
5	3"	76
6	3¼"	83
7	3½"	89
8	3¾"	95
9	4"	102
10	4¼"	108
11	4½"	114
12	4¾"	121
13	5"	127

Shaatz — MXKPSH

CA ★ CE



in.	mm	in.	mm
1½"	38	2¼"	70
1¾"	44	3"	76
2"	51	3¼"	83
2¼"	57	3½"	89
2½"	64	3¾"	95

Cube — MXKPEC

CA ★ CE



Size	in.	mm
0	1"	25
1	1⅙"	30
2	1⅓"	35
3	1½"	38
4	1⅞"	41
5	1¾"	44
6	2"	51
7	2¼"	57

Donut — MXKPDO

CA ★ CE



in.	mm	in.	mm
2"	51	3"	76
2¼"	57	3¼"	83
2½"	64	3½"	89
2¾"	70	3¾"	95

**Incontinence Dish
MXKPCOND**

CA ★ CE



Size mm	Size mm
55	75
60	80
65	85
70	

Gellhorn — MXKPGE

CA ★ CE



in.	mm	in.	mm
1½"	38	2¾"	70
1¾"	44	3"	76
2"	51	3¼"	83
2¼"	57	3½"	89
2½"	64	3¾"	95

Inflatoball — MXKPINF

CA ★ CE




Size	in.	mm
S	2"	51
M	2¼"	57
L	2½"	64
XL	2¾"	70

Obstetrical Care

Improving Clinical Outcomes Is Our Mutual Goal

CooperSurgical offers a growing line of products for obstetrics. Select from patient monitors, fetal Dopplers and a full range of market-leading vacuum-assisted delivery products from our Labor and Delivery catalog.

F9 Fetal Monitor.....	63
ClearTone® Fetal Dopplers.....	64



F9 Fetal Monitor
with Deluxe Cart

F9 Fetal Monitor

Highly Accurate Technology Provides Greater Ultrasound Detection



F9 Fetal Monitor

CooperSurgical's F9 Fetal Monitor combines the latest ultrasound technology with lightweight, ergonomic design. It is capable of monitoring twins with its two 12-crystal, wide-beam 1 MHz waterproof transducers which provide more ultrasound detection capability. A 12-inch color touch screen ensures data are easily delineated on the screen, with clear color tracings that can be shared with the patient. The units can be mounted on a countertop or mobile cart when in use, then folded flat for easy storage.

Other features include:

- Signal Overlap Verification to reduce errors caused by overlapping FHR signals when monitoring twins
- Customizable alarms and controls for every clinical environment
- Auto fetal movement detection and alert

For data capture and sharing, the F9 Fetal Monitor can be equipped with CooperSurgical Insight Software for PC-based data storage and review. The unit is EMR-compatible with this software, and contains a built-in printer and USB/ethernet connections. Its 24-hour CTG memory caching facilitates data storage and playback, even when the paper runs out.



F9 Fetal Monitor with Base Cart with Basket



Transducers

F9 Fetal Monitor with Standard Accessories CA CE

Number	Description
MS9-108022-UL	CooperSurgical Fetal Monitor F9 / 110 v
MS9-314012	CooperSurgical Fetal Monitor F9 / 220 v
MS3-31528-A1	Transducer 1 (pink)
MS3-107705-A1	Transducer 2 (yellow)
MS3-31527-A1	Toco Transducer (blue)
MS3-31112	Event Marker
MS1R-02264	Transducer Belt (reusable)
M25R-75111	Recording Paper (90 mm × 152 mm × 150 p US standard) (Pack of 3)

Optional Accessories CA CE

Number	Description
MS9-108022-SWP	CooperSurgical Insight Software Package (includes software manual and cables)
M21-64072	Rechargeable Lithium-Ion Battery
MS9-107634	Deluxe Cart
MS9-108166	Base Cart with Basket and Laptop Tray
MS9-108108	Base Cart with Basket

ClearTone® Fetal Dopplers

The Clear Choice

ClearTone® Fetal Dopplers
have a 5 year warranty.
See page 79 for details.



The ClearTone is your first-class choice when selecting a new fetal Doppler. With advanced audio output that provides superior sound quality, the ClearTone has interchangeable fetal probes and is available in a waterproof model for all clinical settings. The durable and elegant Doppler has an optional easy-to-read digital display that calculates beats per minute to save counting and calculating time. ClearTone reliably captures fetal heart rate from early through late gestation in a compact, robust unit.

Specifications:

Fetal Doppler: 2.1 MHz and 3.2 MHz

Waterproof Fetal Doppler: 2.1 MHz

Weight: 11.3 oz. (320 g)

Outputs: One 3.5 mm jack to connect to a headset or audio recording device

Controls: Separate volume control and push ON/OFF button

Power Source: Battery voltage – Three AA Alkaline 1.5-volt (non-rechargeable) or three AA NMHi 1.2-volt (rechargeable). Battery life – 1,250 one-minute exams with Alkaline or 1,000 one-minute exams with rechargeable batteries.

Dimensions: 5.5" x 2.75" x 1.3"
(140 mm x 70 mm x 35 mm)

ClearTone Fetal Dopplers

WITH 3 MHz PROBES

CA★ CE

Number	Description
CT150-3	ClearTone Doppler, Non-Display, with 3 MHz Probe
CT150R-3	ClearTone Doppler, Non-Display, with 3 MHz Probe – Rechargeable
CT250-3	ClearTone Doppler, With Display, with 3 MHz Probe
CT250R-3	ClearTone Doppler, With Display, with 3 MHz Probe – Rechargeable

WITH 2 MHz PROBES

CA★ CE

Number	Description
CT150-2	ClearTone Doppler, Non-Display, with 2 MHz Probe
CT150R-2	ClearTone Doppler, Non-Display, with 2 MHz Probe – Rechargeable
CT250-2	ClearTone Doppler, With Display, with 2 MHz Probe
CT250R-2	ClearTone Doppler, With Display, with 2 MHz Probe – Rechargeable

WITH 2 MHz PROBES – WATERPROOF

CA★ CE

Number	Description
CT150-2WP	ClearTone Doppler, Non-Display, with 2 MHz Probe
CT150R-2WP	ClearTone Doppler, Non-Display, with 2 MHz Probe – Rechargeable
CT250-2WP	ClearTone Doppler, With Display, with 2 MHz Probe
CT250R-2WP	ClearTone Doppler, With Display, with 2 MHz Probe – Rechargeable

ClearTone Probes – Fetal and Vascular

CA★ CE

Interchangeable fetal and vascular probes and optional waterproof fetal model provide the versatility you need in all clinical settings. Probes are available in several ultrasonic frequencies to suit your needs.

Number	Description
CTP-2	ClearTone 2 MHz Fetal Probe
CTP-W	ClearTone 2 MHz Fetal Probe – Waterproof
CTP-3	ClearTone 3 MHz Fetal Probe
CTP-4	ClearTone 4 MHz Vascular Probe
CTP-5	ClearTone 5 MHz Vascular Probe
CTP-8	ClearTone 8 MHz Vascular Probe

**Accessories – Fetal and Vascular**

CA★

Number	Description	
CRT0007	Wall Mount	CE
A155	Inter-Connect Cable	CE
CT200	Roll Stand with Basket	CE
CT230	Roll Stand No Basket	CE
K220	Tabletop Roll Stand with Basket	CE
K240	Tabletop Roll Stand No Basket	CE
CTOP-MAN	Directions for Use (DFU)	CE
CTASY0004	Recharge Adapter, 120 v	
CTASY0005	Recharge Adapter, International	CE
CTGEL0001	Ultrasound Gel, 60 g	CE
CTGEL0002	Ultrasound Gel, 250 g	CE

Vascular Dopplers also available:

ClearTone Vascular Dopplers**WITH 5 MHz PROBES**

CA★ CE

Number	Description
CT150-5	ClearTone Doppler, Non-Display, with 5 MHz Probe
CT150R-5	ClearTone Doppler, Non-Display, with 5 MHz Probe – Rechargeable
CT250-5	ClearTone Doppler, With Display, with 5 MHz Probe
CT250R-5	ClearTone Doppler, With Display, with 5 MHz Probe – Rechargeable

WITH 8 MHz PROBES

CA★ CE

Number	Description
CT150-8	ClearTone Doppler, Non-Display, with 8 MHz Probe
CT150R-8	ClearTone Doppler, Non-Display, with 8 MHz Probe – Rechargeable
CT250-8	ClearTone Doppler, With Display, with 8 MHz Probe
CT250R-8	ClearTone Doppler, With Display, with 8 MHz Probe – Rechargeable

Fertility and Family Planning

Meeting All Your Patients' Needs

CooperSurgical offers a wide array of safe, effective family planning methods including contraception, fertility testing and insemination.

Intrauterine Insemination.....	67
Fertility Assessment	70
Diaphragms.....	71



Milex™ Insemination Cannula

Intrauterine Insemination

Sperm Select® Systems

The Most Convenient and
Cost-Effective First Step for Office IUI



Simplify Evaluation, Preparation and Insemination

The Sperm Select family of products is designed to simplify the steps required for sample evaluation, preparation and insemination. Each kit contains all the components necessary to optimize sperm preparation in your office. Sperm Select separates samples in 40 minutes or less, with progressively motile sperm at the top and seminal debris at the bottom. No expensive equipment is necessary and the process is easy to learn and use. For organization and consistent preparation, consider adding the cost-effective Blockheater™ desktop incubator for sample warming.

CA★

Number	Description
SM600	Sperm Select System, Syringe, Sperm Medium, Syringe & Vial Holder
SM602-F	Sperm Select System Kit – Complete Sperm Select System with (1) Select IUI® Catheter
SM601-F	Sperm Select System Kit – Complete Sperm Select System with (1) Minispace® IUI Catheter
SM603-F	Sperm Select System Kit – Complete Sperm Select System with (1) Select IU® Catheter
SM700	Sperm Select Blockheater (Incubator)

Kit Contents:

- Luer Lock glass syringe of Sperm Select – sterile, membrane-filtered, MEA-assay Sodium Hyaluronate
- Vial of medium (0.5 ml) – sterile, membrane-filtered, MEA-assay
- Syringe carrier
- Vial holder
- Name tag
- Directions for use
- (1) Catheter of your choice



Sperm Select DVD
Available Upon Request

Insemination Catheters



TheCurve®

CA☙ CE

Slight Curve Aids Insertion

TheCurve Intrauterine Insemination Catheter with Luer Lock hub has a rounded, beveled tip which helps to ensure smooth insertion, while the slight curve is designed to facilitate entry. For atraumatic sample delivery.

Number	Description
SM507	17.2 cm x 1.6 mm, .02cc Single-opening (25/Box)

Minispace®

CA☙ CE

The Smallest IUI Catheter

Minispace's small diameter helps minimize uterine cramping and maximize sperm use. This ultra-low-volume catheter leaves minimal residual after delivery. Luer Lock hub.

Number	Description
SM610	17.2 cm x 1.6 mm, .07 cc Single-opening (25/Box)

Select IUI®

CA☙ CE

An IUI Catheter for Every Patient

The gold standard of insemination, Select IUI catheters have dual openings that mirror the normal orientation of the fallopian tubes. The wings of the Luer Lock hub indicate the position of the catheter openings. Sterile/single-use.

Number	Description
SM400	17 cm x 2.1 mm, .34 cc Dual-opening (25/Box)



The Milex fine or extra-fine insemination cannula will help maximize your ICI or IUI success rate. Other cannulae / catheters marketed for insemination are longer and larger in lumen size and more apt to stimulate the uterus to contract and expel the semen specimen. The shorter length also minimizes the amount of sperm required for optimal delivery.

- Open end (8 French)
- Closed end, 2 side ports (3.5 French)
- Sterile/Single-use

Number	Description
MX730	Milex Insemination Cannula with Syringe, 8 Fr, Open End (24/Box)
MX732	Milex Insemination Cannula with Syringe, 3.5 Fr, Closed End (24/Box)

Uni-Sem™ Intrauterine Insemination Catheter



For Smooth, Atraumatic Delivery

Uni-Sem's step-down outer diameter design and unique construction aid in smooth cervical passage for atraumatic placement. Consistently lumened throughout for gentle media transfer, the distal portion is slightly smaller at 2.3 mm O.D. for more atraumatic placement while the remainder of the catheter is 2.6 mm O.D. for added clinician control during insertion. Accurate placement is enhanced through use of the orientation wings on the hub that align with the catheter's ejection ports. As a further aid to placement, depth markings at 5.5 cm and 6.5 cm are indicated on the shaft. The clear tip allows visual confirmation of successful delivery. Uni-Sem is gamma-sterilized, single-use.

Number	Description
7033	Uni-Sem Intrauterine Insemination Catheter (25/Box)

Fertility Assessment

SelectMucus® Endocervical Aspirator

CA*




Designed to sample the contents of the endocervical canal for postcoital testing and any situation where the mucus plug needs analysis or removal. Smooth, rounded tip minimizes patient discomfort.

Number	Description
SM301	SelectMucus Endocervical Sampler (25/Box)

Pro-Ception Oligospermia Cups

CA*




Anatomically shaped to fit the cervix, these hypoallergenic cups provide a simple yet efficient means of ensuring the maximum concentration of semen at the cervical Os. Increased pooling of the seminal fluid during homologous or heterogeneous insemination helps maximize the potential for success in these procedures. Cups are available with and without a stem and in eight sizes: 24 mm, 26 mm, 28 mm, 30 mm, 32 mm, 34 mm, 36 mm and 38 mm.

Number	Description
MXFOCS + Size	Pro-ception Oligospermia Cup with Stem (5/Box)
MXFOC + Size	Pro-ception Oligospermia Cup without Stem (5/Box)

Pro-Ception Fertility Cannula

CA*



This cannula with Vacu-Lok Control Syringe is designed for the following procedures:

- Postcoital testing (Huhner)
- Removal of mucus plug
- Testing interaction of sperm and cervical mucus viscosity
- Fractional sampling of cervical mucus
- Determination of ovulation
- Identification of antisperm antibodies
- Microscopic determination of colonizing microorganisms

Products are sterile/single-use and individually packaged.

Number	Description
MX710	Pro-ception Fertility Cannula, Individual, No Syringes (36/Box)
MX720	Pro-ception Fertility Cannula, Individual, with Vacu-Lok Control Syringe (12/Box)

Pro-Ception Fertility Pak

CA*



Patients can easily insert these disposable vaginal tampons themselves to maintain a pool of seminal fluid near the cervical Os and help improve fertilization success rates. They can also be used following IUI or ICI procedures in your office.

Single-use/Disposable.

Number	Description
MXFEPAC	Pro-ception Fertility Pak – Small (12/Box)
MXFEPAL	Pro-ception Fertility Pak – Large (12/Box)

Fertility Assessment

Aspirette® Endocervical Aspirator

CA



Cervical Sampling Made Easy

The Aspirette Endocervical Aspirator is completely self-contained, sterile and ready for use. With a slender (3.1 mm O.D.) body and rounded distal tip, cervical insertion is easy with minimal risk, trauma or patient discomfort. Clear depth markings aid catheter placement. Once collected, the sample is safe from cross-contamination and ready for clinical assessment.

Number	Description
8700	Aspirette Endocervical Aspirator (25/Box)

Diaphragms

Milex™ Wide-Seal Silicone Diaphragm Kits



Our diaphragms are latex-free and available in Arcing or Omniflex. Both styles are available to ensure the best fit for your patients. The patented Wide-Seal Silicone Diaphragm provides increased suction for added protection. All diaphragms must be used with a spermicidal gel.

Each set includes:

- Diaphragm
- Illustrated patient instruction booklet
- Carrying case

MILEX WIDE-SEAL ARCING STYLE DIAPHRAGM

CA

CE

Number	Description
MXWS60	Arcing Diaphragm 60 mm
MXWS65	Arcing Diaphragm 65 mm
MXWS70	Arcing Diaphragm 70 mm
MXWS75	Arcing Diaphragm 75 mm
MXWS80	Arcing Diaphragm 80 mm
MXWS85	Arcing Diaphragm 85 mm
MXWS90	Arcing Diaphragm 90 mm
MXWS95	Arcing Diaphragm 95 mm

MILEX WIDE-SEAL OMNIFLEX STYLE DIAPHRAGM

CA

CE

Number	Description
MXWF60	Omniflex Diaphragm 60 mm
MXWF65	Omniflex Diaphragm 65 mm
MXWF70	Omniflex Diaphragm 70 mm
MXWF75	Omniflex Diaphragm 75 mm
MXWF80	Omniflex Diaphragm 80 mm
MXWF85	Omniflex Diaphragm 85 mm
MXWF90	Omniflex Diaphragm 90 mm
MXWF95	Omniflex Diaphragm 95 mm

ACCESSORIES

CA


CE

Number	Description
MXWSFS	Arcing Diaphragm Fitting Set
MXWFFS	Omniflex Diaphragm Fitting Set
MXFIT0072	Pelvic Teaching Model

General Examination: Diagnostic Disposables

H/S Elliptosphere™ Catheter Set and Tray

The Safe and Simple Answer for Both
Sonohysterography and Hysterosalpingography



The patented Elliptosphere H/S catheter offers several advantages over the traditional balloon catheters including the ability to gradually inflate the balloon for placement in any size cervical canal, the ability to see the entire lower uterine segment during an SIS procedure, and greater patient comfort.



The Elliptosphere balloon contour and variable size permit secure placement in the cervical canal or uterine cavity for optimal visualization. The balloon's unique design prevents retrograde leakage of distension media, which facilitates peak uterine distention. A small catheter size enables placement next to ultrasound probe for minimal patient discomfort. The H/S Elliptosphere Catheter can be used with oil- or saline-based medium. Available in two versions – with and without an integrated stylet – the H/S Elliptosphere features latex-free construction.

Number	Description	
61-4005	H/S Elliptosphere Catheter, 5 Fr (10/Box)	CA* CE
61-4005S	H/S Elliptosphere Catheter Set with Integrated Stylet (1 Box – 10/Box)	CA* CE
61-4205	H/S Elliptosphere Tray with 5 Fr Catheter (10/Case)	


EZ-HSG™ Catheter

CA*

The EZ-HSG Catheter – designed for sonohysterography and hysterosalpingography – is the simple, cost-effective choice for ultrasound examination of the uterine cavity. A soft foam stopper replaces the balloon to simplify saline procedures.

The EZ-HSG is available in three sizes to meet your patient's needs:

Small – for nulligravida and postmenopausal patients
Medium – for primipara and multipara patients
Large – for incompetent cervix



Number	Description
SM4200	EZ-HSG, small – 2 mm O.D., 3 mm cannula, 5 mm-15 mm flared cone (10/Box)
SM4400	EZ-HSG, medium – 2 mm O.D., 4 mm cannula, 5 mm-15 mm flared cone (10/Box)
SM4600	EZ-HSG, large – 3 mm O.D., 5 mm cannula, 7 mm-18 mm flared cone (10/Box)

H/S Catheters

For Enhanced Visualization of Uterine Pathology



Pre-Saline Infusion

Post-Saline Infusion

H/S Catheter Set

CA+ CE

These easy-to-use devices provide enhanced visualization, yet gentle patient exam. Designed for use in sonohysterography and hysterosalpingography, the catheter can be used with oil- or saline-based media depending on the procedure requirements.

Features and Benefits:

- Available with integrated stylet for easy insertion
- Unique placement sheath eliminates the need for a tenaculum
- Comes in both 5 and 7 French
- Ideal for office use
- Latex-free construction

Number	Description
61-5005	H/S Catheter, Kraton, 5 Fr (10/Box)
61-5007	H/S Catheter, Kraton, 7 Fr (10/Box)
61-0020	H/S Stylet Catheter Stiffener (10/Box)

H/S Procedure Tray

CE



- Fenestrated drape
- Disposable speculum
- Disposable cervical dilator
- Three swab sticks
- Sterile wrap
- Inner tray for povidone-iodine solution
- One pack of povidone-iodine solution
- 36-in. extension tube
- 20 cc syringe with 18-gauge needle
- Lubricating jelly packet
- Sanitary napkin

Number	Description
61-5205	H/S Procedure Tray – Round 5 Fr
61-5207	H/S Procedure Tray – Round 7 Fr
61-3205	H/S Procedure Tray – Round 5 Fr with Stylet
61-3207	H/S Procedure Tray – Round 7 Fr with Stylet

Catheters

GyneCath Catheters

CA* CE

The GyneCath Uterine Infusion Catheter is a minimally invasive device used to help identify causes of abnormal uterine bleeding or infertility. GyneCath is designed for use in saline-infusion hysterosonography and water-based hysterosalpingography. The product comes in three variations to suit your practice needs including catheters only, procedure tray sets with catheters, and procedure tray sets with no catheter.

Procedure tray sets include:

- Fenestrated drape
- Disposable speculum
- Disposable cervical dilator
- Three swab sticks
- Sterile wrap
- Inner tray for povidone-iodine solution
- One pack of povidone-iodine solution
- 36-in. extension tube
- 20 cc syringe with 18-gauge needle
- Lubricating jelly packet
- Sanitary napkin

Number	Description
19610	GyneCath 5 Fr Catheter (10/Box, 40/Case)
19611	GyneCath 7 Fr Catheter (10/Box, 40/Case)
19612	GyneCath 5 Fr Tray Set (10 Trays/Case)
19613	GyneCath 7 Fr Tray Set (10 Trays/Case)
19614	Ob-Gyn Tray Set without Catheter (10 Trays/Case)




Tampa Infusion Catheter

CA* CE

For sonohysterography – the simple, cost-effective choice for ultrasound examination of the uterus.

- Unique introducer sheath (33 cm long) facilitates insertion into cervical Os with minimal trauma
- 7 cm marker provides optimal placement of catheter tip in uterus
- Balloonless configuration is ideal for postmenopausal patients with stenotic cervical canals, as well as for many nulliparous patients
- Small catheter size allows easy placement next to ultrasonography probe

Number	Description
61-2005	Tampa Catheter (20/Box)



HSG Procedure Tray

The HSG Procedure Tray is a sterile, single-use product ideal for use in hysterosalpingography and sonohysterography procedures. These convenient trays reduce time spent gathering products because they contain the essential items needed during a procedure.

Number	Description
6050T	Procedure Tray



Breast Aspiration Dual-Port Biopsy Needle

CA



Breast aspiration with a dual-port needle is considered highly accurate for the cytological evaluation of breast cysts and nodules. The aspiration is less traumatic and is well tolerated. Reduces the need for and cost of hospitalization. Procedure can be performed in your office in 15 minutes or less.

Number	Description
MX40	Dual-Port Needle with 3-finger control with 12 cc Syringe, 3" (12/Box)
MX41	Dual-Port Needle with 3-finger control 12 cc Syringe, 1½" (12/Box)
MX42	Dual-Port Needle, No Syringe, 1½" (5/Box)

Endocervical Curette with Vacu-Lok Syringe

CA



This nylon curette has a sharp Randall-type cutting edge. The outside diameter tapers to ensure adequate endocervical sampling, while the Vacu-Lok syringe allows adjustment of suction from approximately 15- to 20-inch Hg negative pressure. This sterile, single-use disposable is latex-free.

Number	Description
MX111	Endocervical Curette with Vacu-Lok Syringe (25/Box)

Word Catheter

CA



The Word Catheter is an effective office treatment following an incision and drainage of a Bartholin cyst or abscess, providing your patient immediate relief. Bartholin cysts/abscesses have a high rate of recurrence unless an accessory duct is provided to permanently drain the obstructed acini.

Number	Description
53404	Word Bartholin Gland Catheter. Includes syringe and scalpel. No Latex. (6/Box)

Milex™ Cervical Spatulas



Anatomically designed for maximum cell pickup of squamocolumnar junction cells, endocervical cells and ectocervical cells. Blade is mildly serrated for slight cervical scraping and textured on one side for better cell pickup. Sterile and disposable.

Number	Description
MX600	Milex Cervical Spatulas, Small, Yellow (250/Box)
MX610	Milex Cervical Spatulas, Medium, White (250/Box)

Disposa-Derm®

For Fast and Simple Skin Biopsy

Disposa-Derm offers a simple and easy way to biopsy the skin on any exposed area. Deep ribbing and a contoured handle provide additional control during biopsy. These cost-effective punches come presterilized in individual pouches. The punches are color-coded for easy size identification.



GREEN

Number	Description
DD-2 mm	Disposa-Derm 2 mm (5/Box)



BLUE

Number	Description
DD-3 mm	Disposa-Derm 3 mm (5/Box)



YELLOW

Number	Description
DD-4 mm	Disposa-Derm 4 mm (5/Box)



PINK

DD-5 mm	Disposa-Derm 5 mm (5/Box)
---------	---------------------------



ORANGE

DD-6 mm	Disposa-Derm 6 mm (5/Box)
---------	---------------------------

DISPOSA-DERM COMBO PACKS*

25-PC	Any Combination in Lots of 5 (25/Pack)
50-PC	Any Combination in Lots of 5 (50/Pack)
5-PC	Sample Pack (1 of each size)

*Must add size and quantity when ordering

To place an order, call us at: 800.243.2974 | Visit us online at: www.CooperSurgical.com

Dilators


Comfort-Flex Dilator® Set

CA

Made of a malleable Teflon-like material for frictionless natural lubrication, the Comfort-Flex Dilator Set is excellent for use in intracervical dilation, uterine sounding or intrauterine procedures. The gradual dilation, combined with the flexible tip, ensure comfortable introduction and gentle dilation.

Set Includes:

- Os Locator (1 ring) – naturally seeks and gently opens the external Os
- Canal Dilator (2 rings) – gently traces the natural path of the cervical canal while steadily dilating
- Fundus Sound™ (3 rings) – opens the internal Os and sounds the fundus to determine uterine depth



Number	Description
64-376	Comfort-Flex Dilator Set, 3 dilators per set (Os Locator, Canal Dilator, Fundus Sound)

Milex™ Vaginal-Hymenal Silicone Dilators

CA

Vaginal dilators can be used to overcome the pain of sexual intercourse experienced by some patients through muscle-relaxation techniques. The step-by-step instructions describe how to use vaginal dilators to gradually increase patient comfort level. Vaginal dilators are also recommended following reconstructive surgery and radiation therapy to help keep the vaginal canal supple.

Number	Description
MX20	Milex Vaginal Dilator – Set of 4: Small, Medium, Large, Extra-Large with Trimo-San (USA sales only)
MX20-CA	Milex Vaginal Dilator – Set of 4: Small, Medium, Large, Extra-Large without Trimo-San
MX20I	Milex Vaginal Dilator Single – Small 5½" x 1⅞"
MX20IM	Milex Vaginal Dilator Single – Medium 5½" x 1⅞"
MX20IL	Milex Vaginal Dilator Single – Large 5¾" x 1¼"
MX20IXL	Milex Vaginal Dilator Single – Extra-Large 6⅞" x 1⅞"



Milex Vaginal-Rectal Silicone Dilators

CA

Vaginal-Rectal Dilators are recommended following reconstructive surgery to keep the canal soft and supple. The step-by-step instructions describe how to gradually increase acceptance.

Number	Description
MX25	Milex Rectal Dilator – Set of 4: Small Rectal, Medium Rectal, Large Rectal, Extra-Large Vaginal-Rectal with Trimo-San (USA sales only)
MX25-CA	Milex Rectal Dilator – Set of 4: Small Rectal, Medium Rectal, Large Rectal, Extra-Large Vaginal-Rectal without Trimo-San
MX25IS	Milex Vaginal-Rectal Dilator Single – Small 3" x 1⅞"
MX25IM	Milex Rectal Dilator Single – Medium 3⅞" x 1⅞"
MX25IL	Milex Rectal Dilator Single – Large 3⅞" x 1"
MX25IXL	Milex Vaginal-Rectal Dilator Single – Extra-Large 3⅞" x 1⅞"



Milex Vaginal Silicone Dilators

CA

Vaginal dilators provide gentle, atraumatic dilation of vaginal muscles. A step-by-step guide is included to aid the patient.

Number	Description
MX23	Milex Dilator – Set of 4: Small, Medium, Large, Extra-Large with Trimo-San (USA sales only)
MX23-CA	Milex Dilator – Set of 4: Small, Medium, Large, Extra-Large without Trimo-San
MX23I	Milex Dilator Single – Small 2⅞" x ½" x ⅜"
MX23IM	Milex Dilator Single – Medium 2⅞" x ⅝" x ⅞"
MX23IL	Milex Dilator Single – Large 2⅞" x ⅝" x ½"
MX23IXL	Milex Dilator Single – Extra-Large 3" x 1¼" x ⅝"



To place an order, call us at: 800.243.2974 | Visit us online at: www.CooperSurgical.com

Cervical and Endocervical Samplers

Medscand® Cytobrush Plus®

CA* CE



The Classic Cytobrush Plus Cell Collector for endocervical sampling is excellent for nulliparous or menopausal women, or for collecting endocervical cells at conization. The gentle brush collects large amounts of cells that are easily transferred to slides for analysis.

Number	Description
C0021	Cytobrush Plus – 2 Bags, 500 Brushes each (1,000/Box)
C0004	Cytobrush Plus – 10 Bags, 10 Brushes each (100/Box)
C0005	Cytobrush Plus – 25 Bags, 100 Brushes each (2,500/Box)
C0012	Cytobrush Plus Sterile, 1 Brush per Pouch (40/Box)

Medscand® Cytobrush Plus® GT

CA* CE



The Cytobrush Plus GT gentle-touch tip provides all the benefits of the Classic brush plus a protective bulb designed to minimize trauma to the canal, thus yielding a high-quality tissue sample with minimal contamination.

Number	Description
C0121	Cytobrush Plus GT – 2 Bags, 500 Brushes each (1,000/Box)
C0104	Cytobrush Plus GT – 10 Bags, 10 Brushes each (100/Box)
C0105	Cytobrush Plus GT – 25 Bags, 100 Brushes each (2,500/Box)
C0112	Cytobrush Plus GT Sterile, 1 Brush per Pouch (40/Box)
C0305	Cytobrush Plus GT Scored – 25 Bags, 100 Brushes each (2500/Box)

Medscand® Uterobrush®

CE

Single use brush to collect all samples from the endometrium.

Number	Description
E0001	Uterobrush, Sterile (500/Box)



Medscand® Pap-Perfect® Spatula

CA*

Use the Medscand Pap-Perfect Plastic Spatula in combination with Cytobrush Plus or Cytobrush Plus GT. The spatula gently rubs the mucosa, ensuring a rich, complete sample from the ectocervix. Made of inert polypropylene plastic, the spatula will release collected cells more easily than a wooden spatula.

Number	Description
1108	Pap-Perfect Endocervical Scrapers (Wooden) (500/Box)
11080	Pap-Perfect Plastic Spatulas (500/Box)

CE



Medscand® Cytobrush Plus® Kits

An economical solution for one of the most frequently performed gynecology procedures. If you have a high-volume office or clinic, this may be your most effective solution for controlling material costs.

A complete setup for 72 Pap Smear tests.



Number	Description	
10115-10/50	Cytobrush Plus Kits – Cell Collector (sets include brush, scraper, fixative, slide and slide transporter); 10 Trays with 50 Pap Smear test sets (500 total Tests/Case)	CA*
60115-10/50	Cytobrush Plus Cell Collector – Gentle Touch, 10 Trays with 50 Pap Smear test sets (500 total Tests/Case)	CA* CE
60115-20/50	Cytobrush Plus Cell Collector – Gentle Touch, 20 Trays with 50 Pap Smear test sets (1,000 total Tests/Case)	CA* CE

Index

Biopsy Punches

Disposa-Derm Skin Biopsy Punches	75
Euro-Med Classic Series	16-19

Cervical Samplers

Colposcopy

CerviPATH Digital Colposcopy System	12
ImageQUEST	12
OptiK Model 1	14
OptiK Model 2	11-13

Cryosurgery

Cryo-Surg Hand Held System	50
Frigitronics Cryo-Plus	50
Frigitronics CE-2000	52
LEISEGANG LM-900 System	49
Ophthalmic	52-53

Cytobrush

Curettes-Endocervical

Disposable	34
Stainless Steel	26

Curettes-Endometrial

Disposable	34, 75
Stainless Steel	26

Diaphragms

Milex Wide-Seal Silicone Diaphragms	71
---	----

Dilateria

Dilators

Euro-Med Dilator Sets	25
Dilateria	37
Milex Vaginal-Hymenal Silicone Dilators	76
Milex Vaginal-Rectal Silicone Dilators	76
Milex Vaginal Silicone Dilators	76
Milex Dilator / Sound Set	37

Dopplers

Doppler Probes and Accessories	65
Fetal Dopplers	64
Vascular Dopplers	65

Electrodes: See LEEP

Endocervical Samplers

Cytobrush	77
Stainless Steel	26

Endocervical Specula

LEEP	46-47
Stainless Steel	22-23

Endometrial Ablation

Endometrial Samplers

Disposable	34-37
Stainless Steel	26

Euro-Med Instruments

(see also LEEP)

Biopsy Punches	16
Needle Holders	32
Sounds and Dilators	25
Stainless Steel Curettes	26
Stainless Steel Endocervical Specula	28
Stainless Steel Forceps	28-32
Stainless Steel Hooks	27
Stainless Steel Lateral Wall Retractors	24
Stainless Steel Scissors	33
Stainless Steel Specula	22-23
Stainless Steel Tenacula	27

Fertility and Family Planning

Diaphragms	71
Fertility Assessment	70-71
Intrauterine Insemination	67-69

Fertility Assessment

Aspirette Endocervical Aspirator	71
H/S Elliptosphere Catheter	73
IUI Catheters	68
Pro-Ception Fertility Cannula	70
Pro-Ception Fertility Pak	70
Pro-Ception Oligospermia Cups	70
Sperm Select System	67

Fetal Dopplers – ClearTone

Fetal Monitors – F9

Forceps

LEEP	48
Stainless Steel	28-32

Frigitronics Cryo-Plus

Frigitronics CE 2000

General Examination: Diagnostic Disposables

Breast Aspiration Dual-Port	75
Biopsy Needle	75
Catheters	72-74
Cervical and Endocervical Samplers	77
Dilators	76
Disposa-Derm	75
Endocervical Curette with Vacu-Lok Syringe	75
Milex Cervical Spatulas	75
Word Catheter	75

Gynecological Specialty Instruments

Dilators	25
Endometrial Curettes	34-36
Euro-Med Endocervical Curettes	26
Euro-Med Endocervical Specula	28
Euro-Med Hooks	27
Euro-Med Stainless Steel Specula	22-23
Forceps	28-32
Lateral Wall Retractors	24
Uterine Sounds	25

Her Option

H/S Elliptosphere Catheter

Hooks

LEEP	48
Stainless Steel	27

Intrauterine Insemination

IUI Catheters	68
Sperm Select System	67

Lateral Wall Retractors

LEEP	47
Stainless Steel	24

LEEP

Accessories	42-43
Electrodes	39-41
Endocervical Specula	48
Fischer Cone Biopsy Excisor	39
Forceps	48
Hooks	48
Lateral Wall Retractors	47
LEEP System 1000 Workstation	38
Procedure Essentials	44-45
Retractors	47
Rulers	48
Tenacula	48
Tubing	43
Vaginal Specula	46-47

LEISEGANG

Colposcopy	10-14
LM-900 Cryosurgery System	49

Milex

Diaphragms – Wide-Seal Silicone	71
Dilators	76
Insemination Cannula	69
Pessaries	54-61

Needle Holders

Needles

Cartridge Syringe	45
Potocky Needle	44

Obstetrical Care

Fetal Dopplers	64
Fetal Monitors	63

Ophthalmic Cryosurgery

Pessaries:

See Urinary Incontinence

Pipelle

Pipet Curet

Retractors

LEEP	47
Stainless Steel	24

Scissors – Stainless

Sound

Specula

Dimensions	21
LEEP	46-48
Stainless Steel	22-23

Sperm Select

Tenacula

LEEP	48
Stainless Steel	27

Tubing

Smoke Evacuation Tubing	43
Tubing Set	43

Urinary Incontinence

Lumax	8-9
Milex Pessaries	54-61
Milex Pessary Sizing Charts	60-61
Trimo-San	55

Urodynamics

Catheters	9
Lumax Accessories	9
Lumax TS Pro Cystometry System	8-9

Uterine Infusion Catheters

EZ-HSG Catheter	72
GyneCath Catheters	74
H/S Catheters	73
H/S Elliptosphere Catheter	72

Uterine Sounds

Committed to Our Customers

At CooperSurgical, we strive for the highest level of expertise and knowledge of our products and to develop an ongoing relationship with each of our customers that is built on trust, quality and consistency. We look to provide service that exceeds not only our customers' expectations, but industry standards as well. CooperSurgical's Customer Service Department provides full-service order entry with extended hours to facilitate order placement. As an added convenience we also now offer online order entry. Call now to have your Customer Service Representative set up your account today. Once you are registered for online ordering, you will be able to place orders, track shipments, review prior purchase history and schedule orders for future delivery.

5 Ways to Order



Local Sales Representative

www.coopersurgical.com/pages/salesrepsearch.aspx



Email:

US: Orders@coopersurgical.com

Int'l: InternationalCustomerservice@coopersurgical.com



E-Ordering (US Only):

Call 800.243.2974 to set up your account today.



Phone Orders:

800.243.2974 (8:00 AM - 8:30 PM EST)

Int'l: 203.601.9818



Fax Orders:

800.262.0105 (24 hours a day)

Int'l: 203.601.4747

Warranty Information

CooperSurgical, Inc. ("CooperSurgical") warrants that its products offered in this catalog, **other than** single patient use products, consumables, Euro-Med hand-held instruments and ClearTone fetal Dopplers, will be free from defects in materials and workmanship for one year from the date of purchase.

CooperSurgical warrants that its single patient use products and consumables offered in this catalog will, through the earlier of 90 days from the date of purchase of each such product and the expiration date of that product stated on that product's package, be free from defects in materials and workmanship that are discovered prior to or during the single use of that product.

CooperSurgical warrants that its Euro-Med hand-held instruments offered in this catalog will be free from defects in materials and workmanship for two years from the date of purchase. In addition, CooperSurgical offers complementary sharpening for five years from the date of purchase only on Euro-Med Classic Series biopsy punches and only if CooperSurgical determines that enough material is available on the tip of the punch to accept sharpening.

CooperSurgical warrants that its ClearTone fetal Dopplers offered in this catalog will be free from defects in materials and workmanship for one year from the date of purchase, and that the **parts** included in those products will be free from defects in materials and workmanship for five years from the date of purchase. After the expiration of the one-year product warranty applicable to a ClearTone fetal Doppler, if CooperSurgical determines that a part included in that product fails to conform to the five-year warranty on those parts, CooperSurgical will repair or replace **only that part**, not the entire product, free of charge, as the sole remedy for that failure to conform. CooperSurgical may charge for time and materials required to remove that part, install a repaired or replacement part and perform related testing.

If CooperSurgical determines that a product offered in this catalog fails to conform to the CooperSurgical warranty applicable to that product, other than the five-year warranty for ClearTone fetal Doppler parts described above, CooperSurgical will, as the sole remedy for that failure to conform, repair or replace that product, at CooperSurgical's discretion, free of charge.

To return a product to CooperSurgical, a customer must comply with CooperSurgical's Returned Goods Policy described in this catalog. A customer will not have any remedy if a CooperSurgical product does not conform to the warranty for that product unless that product is returned to CooperSurgical in accordance with that Returned Goods Policy. CooperSurgical will ship returned products that it repaired (not including sharpening) or replaced under warranty to the customer who returned those products, at CooperSurgical's expense F.O.B. the customer's facility. Under all other circumstances, including if CooperSurgical sharpens a Euro-Med Classic Series biopsy punch without otherwise repairing the punch under warranty, CooperSurgical will ship returned products to the customer who returned those products at the customer's expense F.O.B. CooperSurgical's facility.

CooperSurgical's warranties, including those in this catalog, do not cover damage caused by misuse, improper care, improper use of chemicals or cleaning methods, loss, theft, servicing or sharpening by non-authorized personnel or negligent or intentional conduct on the part of the owner or user of the product. Except for the sharpening services described above for Euro-Med Classic Series biopsy punches, CooperSurgical's warranties do not cover normal wear and tear or general maintenance, including cleaning and sharpening services required as a result of normal use. Any modifications or changes to a product will void that product's warranty.

THE ABOVE WARRANTIES ARE IN LIEU OF, AND COOPERSURGICAL HEREBY DISCLAIMS, ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, WRITTEN OR ORAL, WITH RESPECT TO COOPERSURGICAL'S PRODUCTS, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. NO TERMS, CONDITIONS, UNDERSTANDINGS OR AGREEMENTS THAT PURPORT TO MODIFY THE ABOVE WARRANTIES OR THAT MAKE ANY ADDITIONAL WARRANTIES FOR ANY COOPERSURGICAL PRODUCT SHALL HAVE ANY LEGAL EFFECT UNLESS MADE IN WRITING AND SIGNED BY AN AUTHORIZED COOPERSURGICAL CORPORATE OFFICER.

COOPERSURGICAL SHALL NOT UNDER ANY CIRCUMSTANCES BE LIABLE FOR LOST PROFITS, DAMAGES FROM LOSS OF USE OR LOST DATA, OR INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES UNDER ITS WARRANTIES OR OTHERWISE FOR ANY CLAIM RELATED TO COOPERSURGICAL'S PRODUCTS, EVEN IF COOPERSURGICAL HAS BEEN ADVISED, KNEW OR SHOULD HAVE KNOWN OF THE POSSIBILITY OF SUCH DAMAGES. COOPERSURGICAL'S LIABILITY WITH RESPECT TO A PRODUCT COVERED BY A WARRANTY OR OTHERWISE SHALL BE LIMITED IN ALL CIRCUMSTANCES TO THE PURCHASE PRICE OF THAT PRODUCT.

Latex Information

CooperSurgical understands the concerns of the medical field for latex sensitivities. We are happy to inform you that our products are LATEX-FREE except for:

- Milex™ Latex Inflatoball Pessary

Returned Goods Policy

1. Goods will be accepted for return for the following reasons:

- If shipment was made without Customer's authorization or order
- If incorrect items were shipped
- If defective items were shipped
- If defective goods are covered by the standard warranty

2. To return goods, you must contact a Customer Service Representative by telephone (1.800.243.2974 or 1.203.601.5200) for a Returned Merchandise Authorization (RMA) number. Items will not be accepted without an RMA number.

Please have the following information:

- Reason you wish to return the goods
- Quantity, description, part number, serial number of the goods
- Date of Receipt of Order
- Customer's Purchase Order and the CooperSurgical Invoice Number

All used instruments must be cleaned and sterilized prior to shipment.

3. Shipment must be sent prepaid by Customer. Freight collect shipments will not be accepted, and goods will be returned to sender.

4. If Customer intends to return equipment ordered in error, the following restocking charges and terms will apply:

- 25 percent within 60 days from date of shipment
- Goods must be returned unused, in the original carton, and in marketable condition
- Refurbishing and replacement charges will be added to the restocking charges for damaged or missing items
- No return after 60 days
- No refund on sterile, single-use disposable products

Send all Returns to: CooperSurgical
95 Corporate Drive
Trumbull, CT 06611

Trademark Notices

The marks bearing the symbols "TM" and "®" are trademarks and registered trademarks of CooperSurgical, Inc.

Cervex-Brush® is a registered trademark of Futura Nova.

Canon® is a registered trademark of Canon, Inc.

Velcro® is a registered trademark of Velcro Industries B.V.

Valleylab™ is a trademark of Covidien AG.

Cryomedics® is a registered trademark of Cabot Technologies Corporation

Stackhouse™ is a trademark of Microtek Medical, Inc.

Polocaine™ is a trademark of AstraZeneca, LP

CE Available for sale where CE mark is required

CA Available for sale in Canada

CE and CA labeling is subject to change. Contact Customer Service or your local sales representative for the most up-to-date information.

Premier Products for Women's Health Care

her)option[®]
in-office cryoablation therapy

PIPELLE[®]

EURO-MED[®]

H/S Elliptosphere[™]

MILEX[™]

frigitronics[®]

LEISEGANG[®]

LEEP System 1000[®]

SPERMSELECT[®]



CooperSurgical

95 Corporate Drive
Trumbull, CT 06611